

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Julien Savoie	Licence Number 2015921	Inspection Date May 04, 2021	
Facility Name Garderie Chateau Magique 2015		Telephone Number (506) 779-6057	
Address 40 rue Robin Néguaç NB E9G 0B1			
Name of Early Learning and Childcare Licensing Staff Rachelle Roy Arseneau		Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child and shall include (c) opportunities (ii) to explore various forms of literacy.	21(c)(ii)	May 25, 2021	
Comments:			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child and shall include (c) opportunities (iii) to express creativity and interests.	21(c)(iii)	May 25, 2021	
Comments:			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child and shall include (c) opportunities (iv) to explore the arts and sciences.	21(c)(iv)	May 25, 2021	
Comments:			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child and shall include (c) opportunities (vi) to problem-solve.	21(c)(vi)	May 25, 2021	
Comments:			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	May 03, 2021	May 03, 2021
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (b) codes and standards under the Fire Prevention Act.	28(3)(b)	May 03, 2021	May 03, 2021
Comments: Deficiency is now compliant			
29 An operator of a licensed facility shall ensure that the traffic area and the outdoor walk-ways of the licensed facility are free from obstructions and hazards.	29	May 03, 2021	May 03, 2021

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: Deficiency is now compliant			

<p>General Comments</p> <p>-Visit done at the center for a monitoring inspection.</p> <p>-Ratio was respected during the visit.</p> <p>- In all rooms there is a need to add more material and created zones that are more defined and structured in a way that children can explore literacy, arts and sciences, problem solving and express creativity and interests. The early childhood coordinator will be going for visits to bring support to the operator and director on creating zones and space to increase children's learning.</p> <p>-The entry way must be cleaned and declutter; the entranceway needs to be free in case of a fire.</p> <p>-The babies sleeping room must be tidy and in order the passage needs to be free in case of a fire.</p> <p>-Add a conversation with director on mixing the children and the importance of maintaining her COVID bubbles, daily logs are going to be re-established.</p>

original signed by

 Signature of Early Learning and Childcare Licensing Staff

May 04, 2021

 Date

original signed by

 Signature of Operator/Designate

May 04, 2021

 Date