

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Katie Bee's Children's Center Inc.	Licence Number 2015987	Inspection Date September 02, 2020
Facility Name Katie Bee's Children's Center II		Telephone Number (506) 363-5537
Address 18 616 Highway Keswick Ridge NB E6L 1R6		
Name of Early Learning and Childcare Licensing Staff Joanne Voyer Page		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary licence issued under section 29.	21(a) – (d)	Sep 03, 2020	Sep 02, 2020
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,	24(1)(b)(i)	Jul 31, 2020	Sep 02, 2020
Comments: Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jul 16, 2020	Sep 02, 2020
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Sep 02, 2020	
Comments: As per requested on last inspection report please recover child size chair and couch. Please remove from circulation until repaired or discard. These items are torn and/or soiled and difficult to clean and sanitize. I also requested that high touch service like the papertowel dispenser is added to the cleaning checklist. thank you.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Sep 02, 2020	
Comments: During my follow up inspection today, I observed the closet where toxic products are stored opened, toxic products on a shelf in the bathroom and Lysol spray on a shelf. The first aid kit should also be out of reach of children.			

### General Comments

Follow up to inspection.  
As per my last visit, I was unable to locate the household list for contact tracing or the signed Appendix E form confirming that parents are responsible for screening children in the AM prior to coming to the school age program. This is a PH requirement.

General Comments

Operator provided her updated insurance document for both facilities.  
Please advise when compliances have been addressed. Thank you.

original signed by  
Joanne Voye Page

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

September 02, 2020

\_\_\_\_\_  
Date

original signed by  
Katie Blaney

\_\_\_\_\_  
Signature of Operator/Designate

September 02, 2020

\_\_\_\_\_  
Date