

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 686593 NB LTD.	Licence Number 2016549	Inspection Date September 23, 2025	
Facility Name Reaching for Rainbows Child Development Centre		Telephone Number (506) 389-1442	
Address 145 Lakeside Drive Riverview NB E1B 4K7			
Name of Early Learning and Childcare Licensing Staff Sarah Babineau		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Sep 23, 2025	Sep 23, 2025
Comments: The Quality Assurance Monitor observed that in one of the classrooms, only had 6 children signed in, although 8 were in attendance. The educator must ensure that children's daily attendance records are completed promptly and accurately. The educator immediately added the arrival time of the child. Deficiency is now compliant			
43 An operator of a licensed facility shall not permit hot beverages in areas that are occupied by the children receiving services at the licensed facility, including the outdoor play area, unless (a) the beverage is in a spill-proof container	43(a)	Sep 23, 2025	Sep 23, 2025
Comments: The Quality Assurance Monitor observed a staff member in the hallway carrying a mug with coffee in it. The employee must have their hot beverages in a spill-proof container. The employee promptly disposed of the coffee. Deficiency is now compliant			
43 An operator of a licensed facility shall not permit hot beverages in areas that are occupied by the children receiving services at the licensed facility, including the outdoor play area, unless (b) the container is kept out of the reach of infants and children who are two years of age.	43(b)	Sep 23, 2025	Sep 23, 2025
Comments: The Quality Assurance Monitor observed a staff member with a mug with coffee in it, in the hallway where children were preparing to go outside to the playground. The staff member must have their hot beverages in a spill-proof containers and kept out of reach of infants and children under two years of age. The employee promptly disposed of the coffee. Deficiency is now compliant			

General Comments

The Quality Assurance Monitor is on-site to conduct a follow-up inspection.

The Quality Assurance Monitor observed that one criminal record check was not issued in New Brunswick;

General Comments

however, it was still deemed compliant. After discussing the matter, the Quality Assurance Monitor recommended that the educator obtain a new check from New Brunswick within the next few weeks.

The Quality Assurance Monitor observed green algae in the fish tank. After discussing the issue with the operator, the Quality Assurance Monitor recommended close observation and consistent maintenance to prevent further growth.

The Quality Assurance Monitor observed children during free play and transitions to outdoor time.

During the visit, the child-to-staff ratio was respected.

original signed by
Sarah Babineau

Signature of Early Learning and Childcare Licensing Staff

September 23, 2025

Date

original signed by
Danica Carson

Signature of Operator/Designate

September 23, 2025

Date