

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| Name of operator | Licence I | | oer | | Inspection Date | | |
|---|-------------|------------|-------------------|----------------------|-------------------|----------------|--|
| LITTLE LEADERS 201671 | | | | | February 23, 2021 | | |
| Facility Name | | | | | Telephone Number | | |
| LITTLE LEADERS | | | | | (506) 639-4968 | | |
| Address | | | | <u> </u> | | | |
| 75 Crown Hill Crescent Saint John NB E2K 2H2 | | | | | | | |
| Name of Early Learning and Childcare Licensing Staff | | | Position Title | | | | |
| Breanne Jones | | | Inspector | | | | |
| der for Compliance | | Regulation | | Date to be corrected | | Date corrected | |
| 12(1) An operator of a licensed facility shall obtain a criminal record check or a vulnerable sector check, as the case may be, and a check with the Department of Social Development at least every five years. Comments: Deficiency is now compliant | | 12(1) | | Jan 2 | 2, 2021 | Feb 23, 2021 | |
| 12(3) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may, and a check with the Department of Social Development is conducted on each staff member and associated person at least every five years. Comments: Deficiency is now compliant | | 12(3) | | Jan 2 | 2, 2021 | Feb 23, 2021 | |
| 41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (c) located separate from the food preparation area and not used for serving food. Comments: Deficiency is now compliant | | 41(1)(c) | | Jan 1 | 4, 2021 | Feb 19, 2021 | |
| 41(1) A licensed facility at which services are provided to children | on who | 11/1 | \/d\ | lon 2 | 9, 2021 | Feb 19, 2021 | |
| wear diapers shall have a sturdy surface that is (d) no more than one metre from a sink. | | 41(1)(d) | | Janz | 9, 2021 | 1 60 19, 2021 | |
| Comments: Deficiency is now compliant | | ! | | - | | - | |
| General Comments | | | | | | | |
| All orders for compliance have been rectified. Recommen | ding for re | new | al. | | | | |
| original signed by Breanne Jones Signature of Early Learning and Childcare Licensing Staff Date | | | | | | | |
| Signature of Early Learning and Childcare Licensing Star | ı D | aie | | | | | |
| original signed by Shantel Miller | | | February 23, 2021 | | | | |
| Signature of Operator/Designate | | | Date | | | | |