

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 2016892	Inspection Date November 03, 2020	
Facility Name YMCA Early Learning Centre Preschool and After School		Telephone Number (506) 646-2106	
Address 223 St. James Street Saint John NB E2L 1W3			
Name of Early Learning and Childcare Licensing Staff Breanne Jones		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Sep 25, 2020	Nov 03, 2020
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Nov 09, 2020	
Comments: Staff has completed the in class skills component of the course. Practical component to be completed Nov.8/20. Staff will send confirmation once complete.			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (g) whether a child receiving services at the licensed facility has a life-threatening allergy and a description of that allergy.	25(g)	Sep 18, 2020	Nov 03, 2020
Comments: Deficiency is now compliant			
26(2) The operator of a licensed facility shall require the parent or guardian referred to in subsection (1) to sign a declaration confirming that he or she has read and understood the content of the handbook.	26(2)	Sep 25, 2020	Nov 03, 2020
Comments: Deficiency is now compliant			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (c) permitting the administration of medication in the circumstances set out in section 46.	27(c)	Sep 25, 2020	Nov 03, 2020
Comments: Deficiency is now compliant			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (f) permitting the child to participate in an outing.	27(f)	Sep 25, 2020	Nov 03, 2020
Comments: Deficiency is now compliant			

Order for Compliance	Regulation	Date to be corrected	Date corrected
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (g) transporting or providing for the transportation of the child. Comments: Deficiency is now compliant	27(g)	Sep 25, 2020	Nov 03, 2020
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (j) permitting photographs and videos to be taken of the child for publication or social media. Comments: Deficiency is now compliant	27(j)	Sep 25, 2020	Nov 03, 2020
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (k) posting photographs of the child at the licensed facility to illustrate the child's learning. Comments: Deficiency is now compliant	27(k)	Sep 25, 2020	Nov 03, 2020
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly. Comments: Deficiency is now compliant	28(2)	Sep 18, 2020	Nov 03, 2020
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: Deficiency is now compliant	28(3)(a)	Sep 18, 2020	Nov 03, 2020
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children. Comments: Most items have been removed, but broken easel is still within the play area up against the fence. To be placed in storage unit as soon as possible.	31(3)	Nov 04, 2020	
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair. Comments: Deficiency is now compliant	32(1)(d)	Sep 23, 2020	Nov 03, 2020
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions. Comments: Deficiency is now compliant	33(2)	Oct 26, 2020	Nov 03, 2020
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility. Comments: Deficiency is now compliant	44(a)	Sep 17, 2020	Nov 03, 2020

General Comments

Completed Follow up to renewal inspection today. Children within the preschool room were engaged with building and constructing using a variety of blocks (lego blocks and wooden). The children were also eager and proud to share a model house with windows that they recently constructed together. A few orders for compliance remain. Please send confirmation of compliance as soon as possible.

original signed by
Breanne Jones

November 03, 2020

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Christina Scott

Signature of Operator/Designate

November 03, 2020

Date