

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence Number				Inspection Date	
MELISSA BANKS	2017006				July 26, 2022	
Facility Name					Telephone	Number
Dandelion Daycare					(506) 292-0207	
Address				Į.		
103 Teak Drive Fredericton NB E3A 2H9						
Name of Early Learning and Childcare Licensing Staff			Position Title			
Nancy Glendenning			Inspector			
Order for Compliance	ıpliance			gulation Date to be corrected		
General Comments						
Chilidren were heading outside at time of visit. The Operator takes the children to the front of the house during the morning and the back in the afternoon to maximize the use of the shade.						
The Operator is using pictures, artwork, learning stories, and charts to document the learning of the children. There has been many improvements to the play space and there is a variety of learning centres set up for the children. Supplies are readily available to the children at their level offering choices to create during play.						
Operator stated that she has not had to use potential illness forms as the children stay home if they are ill. She does mark the absent reason on the attendance records.						
Incident records are kept in individual children's files and there has been no reportable incidents to report.						
Operator is attentive to the needs of the children. She engages with the children in a kind and patient manner.						
Alll files and documents are complete and kept in an organized manner. They were easily verified.						
original signed by Nancy Glendenning			J	luly 26	5, 2022	
Signature of Early Learning and Childcare Licensing Staf	f Da	ate			•	
original signed by			,	luk oo	2 2022	
Melissa Banks Signature of Operator/Designate		ate	J	iuly 26	5, 2022	
G						