

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator C.S.E Little Hands-Little Feet C.E.C Inc.	Licence Number 2017528	Inspection Date June 28, 2021
Facility Name C.S.E Little Hands-Little Feet C.E.C Inc. 2		Telephone Number (506) 479-1722
Address 1036 chemin Tobique DSL de Drummond NB E3Y 2K4		
Name of Early Learning and Childcare Licensing Staff Pascale Dumont-Levesque		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
10(1) The number of educators that are required for a group of children of mixed ages receiving services at a full-time or part-time early learning and childcare centre is calculated as follows: (a) by multiplying the number of children of the same age by the corresponding factor set out in Schedule A; and (b) by adding the results obtained under paragraph (a). Comments: Deficiency is now compliant	10(1)	Jun 16, 2021	Jun 28, 2021
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate. Comments: Awaiting certificate for an educator. The other educator will register for the online course and will do her ECE in September.	11(b)	Nov 30, 2021	
11(c)(ii) The qualifications and training requirements for administrators and educators are as follows: (c) at a full-time or part-time early learning and childcare centre, (ii) on and after July 1, 2020, (A) at least 50% of educators must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister, and (B) an administrator must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister. Comments: Exemption request to come. The operator began her early childhood course online in May.	11(c)(ii)	Dec 31, 2021	
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29. Comments: Deficiency is now compliant. The daycare permit as well as the last monitoring inspection report was printed and displayed at the entrance before the end of my visit.	21(a) – (d)	Jun 29, 2021	Jun 29, 2021
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children. Comments: The play structure inside the daycare is made of wood and the bars are less than an inch apart. The slide is commercial, no protective surface. The structure is currently closed with an theater furniture. During my visit, no child was around the indoor play structure. The structure is not stable, it wobbles and it should be hung on the wall. Discussion with the operator of the possibility of removing the play structure from the daycare.	30(3)	Jun 18, 2021	

Order for Compliance	Regulation	Date to be corrected	Date corrected
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jun 18, 2021	
Comments: The protective surface for non-commercial play equipment is not sufficient (less than 1-3 inches depending on the structure). Outdoor play structures cannot be used if they do not have the protective surface required by the manufacturer's manual. It is important to scrape for the protective surface to conform. In addition, you need to remove medium and large rocks from the protective surface.			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Jun 25, 2021	
Comments: Materials have been ordered to repair the commercial structure in the outdoor park which should not be used until it has been repaired. The protective surface for non-commercial play equipment is not sufficient (less than 1-3 inches depending on the structure). Outdoor play structures cannot be used if they do not have the protective surface required by the manufacturer's manual. It is important to scrape for the protective surface to conform. In addition, you need to remove medium and large rocks from the protective surface.			

General Comments
<p>The daycare meets the requirements of the Early Childhood Services Act and New Brunswick regulation according to the ratio.</p> <p>Discussion with the operator, it is important to sign the inspection reports received by email as soon as possible (within a week). Signature of the report dated June 16 during my visit.</p> <p>Observation of the end of the nap, free play and snack during my visit.</p> <p>Operator manuel, p.97-98, Infants and children are not permitted to have bottles at nap time or while resting.</p>

original signed by  
**Pascale Dumont-Levesque**

---

Signature of Early Learning and Childcare Licensing Staff

June 28, 2021

---

Date

original signed by  
**Dominique Richard**

---

Signature of Operator/Designate

June 28, 2021

---

Date