

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator C.S.E Little Hands-Little Feet C.E.C Inc.	Licence Number 2017528	Inspection Date September 26, 2022	
Facility Name C.S.E Little Hands-Little Feet C.E.C Inc. 2		Telephone Number (506) 479-1722	
Address 1036 chemin Tobique DSL de Drummond NB E3Y 2K4			
Name of Early Learning and Childcare Licensing Staff Pascale Dumont-Levesque		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (a) permitting the child access to a pool under in the circumstances set out in subsection 34(2).	27(a)	Jul 29, 2022	Jul 27, 2022
Comments: Deficiency is now compliant. Received consent by email.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Jun 18, 2021	
Comments: The structure has been repaired, the protective surface is still missing. The structure cannot be used by children as long as the modifications have not been made. The play structure inside the daycare is made of wood and the bars are less than an inch apart and it's stable. The slide is commercial, puzzle mats need to be put in double thickness as a protective surface.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jun 18, 2021	
Comments: Protective surface (not yet 30 cm) has been added under one of the structures. It's important to remove medium and large rocks from the protective surface and the protective surface should be 1.8m away from the play structure. The operator has been advised that she should not let them play in structures that are not compliant. The protective surface for the play equipment is not sufficient (less than 1-3 inches depending on the structure). Outdoor play structures cannot be used if they do not have the protective surface required by the manufacturer's manual or CSA. It's important to scrape for the protective surface to conform.			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Jun 25, 2021	
Comments: Protective surface (not yet 30 cm) has been added under one of the structures. It's important to remove medium and large rocks from the protective surface and the protective surface should be 1.8m away from the play structure. The operator has been advised that she should not let them play in structures that are not compliant. The protective surface for the play equipment is not sufficient (less than 1-3 inches depending on the structure). Outdoor play structures cannot be used if they do not have the protective surface required by the manufacturer's manual or CSA. It's important to scrape for the protective surface to conform. The commercial structure in the outdoor park which should not be used until it has been repaired.			

Order for Compliance	Regulation	Date to be corrected	Date corrected
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Jun 24, 2022	Sep 26, 2022
Comments: Deficiency is now compliant			

General Comments
<p data-bbox="68 426 1498 554">During my visit in the afternoon, the daycare meets the requirements of the Early Childhood Services Act and New Brunswick regulation according to the ratio, the child records, the personal belongings and storage space. It rains during my visit. Observation of the snack for some children.</p>

original signed by
Pascale Dumont-Levesque

Signature of Early Learning and Childcare Licensing Staff

September 26, 2022

Date

original signed by
Dominique Richard

Signature of Operator/Designate

September 26, 2022

Date