

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator L	Licence Number		lı	Inspection Date	
Cassel Enterprises Ltd. 2	2017681		N	May 05, 2021	
Facility Name			elephone Number		
Hands On Learning Enrichment Centre			(506) 878-4263		
Address					
2282 Mountain Road Moncton NB E1G 1B4					
Name of Early Learning and Childcare Licensing Staff			Position Title		
Ashley Kelly		Inspector			
Order for Compliance	F	Regulation Date corre			Date corrected
11 The qualifications and training requirements for administrators educators are as follows: (a) an administrator and educators must valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	t hold a	1(a)	Apr 23,	2021	May 05, 2021
Comments: Deficiency is now compliant					
I1 The qualifications and training requirements for administrators educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course on Early Childhood Education Certificate.		1(b)	Apr 23,	2021	May 05, 2021
Comments: Deficiency is now compliant					
11(c)(ii) The qualifications and training requirements for administrated and educators are as follows: (c) at a full-time or part-time early lead childcare centre, (ii) on and after July 1, 2020, (A) at least 50° educators must hold a one-year Early Childhood Education Certificationing that is equivalent in the opinion of the Minister, and (B) and administrator must hold a one-year Early Childhood Education Cept training that is equivalent in the opinion of the Minister. Comments: Operator to send plan for compliance to QAM.	earning % of icate or	1(c)(ii)	Apr 30,	2021	
<u> </u>	1-		T		
24(1) For the purposes of subsection 20(1) of the Act, the followin ecords and documents shall be maintained on the premises of a icensed facility: (c) staff member records that include (vii) a copy ralid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator. Comments: Deficiency is now compliant		24(1)(c)(vii)	Apr 16,	2021	May 05, 2021
· '	<u> </u>	24/4)/0	A . 46	0004	NA 05 0001
24(1) For the purposes of subsection 20(1) of the Act, the followin ecords and documents shall be maintained on the premises of a censed facility: (f) daily attendance records of the children on for provided by the Minister.		24(1)(f)	Apr 16,	2021	May 05, 2021
Comments: Deficiency is now compliant					

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Apr 16, 2021	May 05, 2021
Comments: Deficiency is now compliant		·	·
28(3) The premises of a licensed facility shall comply with (b) codes and standards under the Fire Prevention Act.	28(3)(b)	Apr 16, 2021	May 05, 2021
Comments: Deficiency is now compliant			
40(1) An operator of a licensed facility shall ensure that personal belongings of a child receiving services at the licensed facility that are brought to the licensed facility, including combs, brushes, toothbrushes, towels, washcloths, bedding, pacifiers and soothers, are (a) labelled with the name of the child.	40(1)(a)	Apr 19, 2021	May 05, 2021
Comments: Deficiency is now compliant		·	·
General Comments			
General Comments Fencing has some erosion which has not yet been repaired. Opera awaiting repairs. Inspector observed children playing outside at time of inspection.	ator has conta	acted fencing co	mpany and is
Fencing has some erosion which has not yet been repaired. Opera awaiting repairs.	ator has conta	acted fencing co	mpany and is
Fencing has some erosion which has not yet been repaired. Opera awaiting repairs. Inspector observed children playing outside at time of inspection. original signed by Ashley Kelly		acted fencing co	mpany and is
Fencing has some erosion which has not yet been repaired. Opera awaiting repairs. Inspector observed children playing outside at time of inspection. original signed by Ashley Kelly			mpany and is
Fencing has some erosion which has not yet been repaired. Opera awaiting repairs. Inspector observed children playing outside at time of inspection. original signed by Ashley Kelly	Date		mpany and is