

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator KAREN LINDSAY	Licence Number 2018078	Inspection Date January 05, 2023
Facility Name East Coast Kids Riverside-Albert		Telephone Number (506) 962-5868
Address 90 Water Street Riverside-Albert NB E4H 3Z7		
Name of Early Learning and Childcare Licensing Staff Sophie Powers		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
10(1) The number of educators that are required for a group of children of mixed ages receiving services at a full-time or part-time early learning and childcare centre is calculated as follows: (a) by multiplying the number of children of the same age by the corresponding factor set out in Schedule A; and (b) by adding the results obtained under paragraph (a).	10(1)	Jan 05, 2023	Jan 05, 2023
Comments: When Quality Assurance Monitor arrived on site, the ratio was not respected. To ensure that children are appropriately supervised, the child-to-staff ratio must be maintained at all times. The educator immediately called another staff. After 20 minutes, that staff member arrived, and ratio was respected. Deficiency is now compliant			

<p>General Comments</p> <p>When Quality Assurance Monitor arrived, the children were getting ready for outside play. She was also able to observe lunch and naptime.</p> <p>During the visit, child records files were verified. QA monitor also verified if all the documents needed were posted in a visible and prominent place in the facility. The name and phone number of the quality assurance monitor was not updated from recent change. QA monitor left her business card for the operator to post.</p> <p>One staff member did not hold a first aid and CPR certificate while QA monitor was on site. As per regulation 11(a), all staff members must hold a first aid and CPR certificate. The educator in question is enrolled in a course, starting January 21. The operator was informed that moving forward, a first aid and CPR certificate is required for all staff members.</p> <p>During the visit, room 105 was measured by the QA monitor. This room is occasionally being used, and the number of children that can be present in the room needed to be determined. This will not increase the number of approved spaces shown on the license, but it will determine how many children can use this room. Operator will be contacted if further measurements or actions is needed to complete the process.</p>
--

original signed by
Sophie Powers

January 14, 2023

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Karen Lindsay

January 14, 2023

Signature of Operator/Designate

Date