

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator BUTTERFLIES & BUMBLEBEES DAYCARE LTD.	Licence Number 2018097	Inspection Date July 12, 2023
Facility Name BUTTERFLIES & BUMBLEBEES DAYCARE		Telephone Number (506) 672-3134
Address Unit A 661 Dever Road Saint John NB E2M 4J2		
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
12(3) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may, and a check with the Department of Social Development is conducted on each staff member and associated person at least every five years.	12(3)	Jun 12, 2023	Jun 09, 2023
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (vi) daily information sheets on forms provided by the Minister for each child under the age of 24 months.	24(1)(b)(vi)	Jun 08, 2023	Jul 11, 2023
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (v) a copy of a criminal record check or vulnerable sector check, as the case may be.	24(1)(c)(v)	Jun 12, 2023	Jun 09, 2023
Comments: Deficiency is now compliant			
28(1) An operator of a licensed facility shall not change the allocation of space used to provide services or add to or alter any building or facility or any part of them unless the Minister has approved the changes in writing.	28(1)	Jun 08, 2023	Jul 11, 2023
Comments: Deficiency is now compliant			
36(4) The rest area of a full-time early learning and childcare centre and an early learning and childcare home shall allow for a space of at least 46 cm between each crib, portable playpen, cot or nap mat.	36(4)	Jun 09, 2023	Jul 11, 2023
Comments: Deficiency is now compliant			

General Comments
<p>A follow up inspection occurred today.</p> <p>All orders for compliance were completed and the facility is recommended for license renewal</p> <p>Discussed with Operator the importance of Educators knowing how many children are in their care and ratio at any time. Operator indicated that the routinely review this with all staff.</p>

## General Comments

Discussed upcoming changes to the facility and the importance of documentation be sent to the Quality Assurance Monitor as soon as possible to avoid delays.

The children were observed during nap/quiet time, engaging in play and learning with their peers inside. It was evident that the children had been outside in the morning as wet boots, and wet jackets were observed drying.

original signed by  
Jodi Hennessey

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

July 12, 2023

\_\_\_\_\_  
Date

original signed by  
Ashley King

\_\_\_\_\_  
Signature of Operator/Designate

July 12, 2023

\_\_\_\_\_  
Date