

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator KIDDIE COVE PRESCHOOL AND DAYCARE	Licence Number 2018244	Inspection Date September 11, 2024
Facility Name KIDDIE COVE PRESCHOOL AND DAYCARE		Telephone Number (506) 752-7000
Address 1722 774 Route Wilsons Beach NB E5E 1K7		
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Aug 23, 2024	Sep 11, 2024
Comments: Deficiency is now compliant			
11.1(3) A staff member who works directly with infants or preschool children shall complete in each year 10 hours of training approved by the Minister related to the curriculum used at the designated facility.	11.1(3)	Sep 16, 2024	Sep 11, 2024
Comments: Deficiency is now compliant			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Aug 16, 2024	Sep 11, 2024
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Sep 16, 2024	Sep 11, 2024
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Sep 16, 2024	Sep 11, 2024
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Aug 23, 2024	Sep 11, 2024
Comments: Deficiency is now compliant			

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records. Comments: Deficiency is now compliant	24(1)(j)	Aug 09, 2024	Sep 11, 2024
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly. Comments: Deficiency is now compliant	28(2)	Aug 09, 2024	Sep 11, 2024
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: Deficiency is now compliant	28(3)(a)	Sep 16, 2024	Sep 11, 2024
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children. Comments: Deficiency is now compliant	30(3)	Aug 16, 2024	Sep 11, 2024
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children. Comments: Deficiency is now compliant	31(3)	Sep 16, 2024	Sep 11, 2024
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. Comments: Deficiency is now compliant	32(1)(a)	Sep 16, 2024	Sep 11, 2024
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair. Comments: Deficiency is now compliant	32(1)(d)	Sep 16, 2024	Sep 11, 2024
38(4) An operator of a licensed facility shall provide steps or platforms that allow the children to use regular-sized toilets and sinks. Comments: Deficiency is now compliant	38(4)	Sep 16, 2024	Sep 11, 2024
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; Comments: Deficiency is now compliant	39(2)(a)	Aug 09, 2024	Sep 11, 2024

General Comments

A follow up inspection occurred today.
All orders for compliance are completed and the facility is recommended for license renewal.
The preschool room now has 2-year-olds as well as 3- and 4-year-olds. A diaper changing station has been added to help support diaper changing with this younger age group.
Two educators still have 2.5 hours of Professional Hours to complete prior to the license expiration. The Quality Assurance Monitor will follow up on this on a monitoring inspection. The Administrators indicated they have plan to complete Inclusion Training to complete their PL.

original signed by
Jodi Hennessey

Signature of Early Learning and Childcare Licensing Staff

September 11, 2024

Date

original signed by
Alyssa Chute

Signature of Operator/Designate

September 11, 2024

Date