

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| Name of operator Licence | | lumber | | | Inspection Date | |
|---|--|----------------|-----------|----------------------|------------------|----------------|
| Young Explorers Learning Center Inc. 2019453 | | | | | May 16, 2023 | |
| Facility Name | | | | | Telephone Number | |
| Young Explorers Learning Center | | | | | (506) 878-7545 | |
| Address | | | | | | |
| 122 McClelan Avenue Riverview NB E1B 1X2 | | | | | | |
| Name of Early Learning and Childcare Licensing Staff | | Position Title | | | | |
| Tina Richard Tardif | | | Inspector | | | |
| Order for Compliance | | Regulation | | Date to be corrected | | Date corrected |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached, | | | | | 05, 2023 | May 16, 2023 |
| Comments: All of the children files have been complete with the information needed. Deficiency is now compliant. | | | | | | |
| 31(6) The outdoor play area of a full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at least 1.22 m in height with a gate that is secured at all times when the children are present. | | 31(6) Ma | | May ' | 12, 2023 | May 16, 2023 |
| Comments: A lock was added to the outside door gate to make it secure. Deficiency is now compliant. | | | | | | |
| 33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions. | | 33(2 | 2) | May ' | 12, 2023 | May 16, 2023 |
| Comments: The ninja obstacle course was replaced with hammocks to meet the appropriate depth for the protective surface. Deficiency is now compliant. | | | | | | |
| General Comments | | | | | | |
| During the follow-up inspection, the inspector observed the children playing outside. | | | | | | |
| Ratio is respected during the follow-up inspection. | | | | | | |

original signed by Tina Richard Tardif Signature of Early Learning and Childcare Licensing Staff

May 17, 2023

May 17, 2023

original signed by Taylor Roberts

Signature of Operator/Designate

Date

Date