

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| Name of operator Licence   |              | Number                |                | Inspection Date  |                |
|--|--------------|-----------------------|----------------|------------------|----------------|
| TB&TL ENTERPRISES INC. 2019539   |              |                       |                | January 16, 2025 |                |
| Facility Name  |              |                       |                | Telephone Number |                |
| Wee College Downtown Early Learning Campus 2   |              |                       | (506) 856-0860 |                  |                |
| Address  |              |                       |                |                  |                |
| 465 Main Street Moncton NB E1C 1C2   |              |                       |                |                  |                |
| Name of Early Learning and Childcare Licensing Staff   |              | Position Title        |                |                  |                |
| Stephanie Leger  |              | Inspector             |                |                  |                |
| Order for Compliance   |              | Regulation            | Date to        |                  | Date corrected |
| 10(1) The number of educators that are required for a group of children of mixed ages receiving services at a full-time or part-time early learning and childcare centre is calculated as follows: (a) by multiplying the number of children of the same age by the corresponding factor set out in Schedule A; and (b) by adding the results obtained under paragraph (a).  Comments:  1 out the 2 educators required for the mixed age group leaducator with 19 children without advising her. Child-to-se |              | the classroom to      |                |                  |                |
| age group. Educator returned to the classroon 39(2) A licensed facility shall have a separate locked storage s   | n. Deficienc |                       | oliant         | 6, 2025          | Jan 16, 2025   |
| is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;  |              | 39(2)(a) 3an          |                | ), 2025          | Jan 10, 2025   |
| Comments: During the renewal inspection, inspector obseto be locked and inaccessible to children. Edu compliant  |              |                       |                |                  |                |
| General Comments   |              |                       |                |                  |                |
| Inspector was onsite for the renewal inspection. Inspector time and free indoor play. One classroom was learning alweek.   |              |                       |                |                  |                |
| original signed by   |              |                       |                |                  |                |
| Stephanie Leger  |              | January 17, 2025 Date |                |                  |                |
| Signature of Early Learning and Childcare Licensing Staf   | ı Da         | ale                   |                |                  |                |
| original signed by   |              |                       |                |                  |                |
| Pamela Boyle   |              |                       | nuary 1        | 7, 2025          |                |
| Signature of Operator/Designate D  |              | ate                   |                |                  |                |