

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Creating Wonders Daycare Inc.	Licence Number 2019572	Inspection Date August 31, 2021	
Facility Name Creating Lil' Wonders Daycare		Telephone Number (506) 523-4434	
Address 205 Main Street Rexton NB E4W 2A9			
Name of Early Learning and Childcare Licensing Staff Maryse Léger		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Sep 30, 2021	
Comments: One staff does not have a valid first aid certificate and a valid CPR certificate. This staff is not to be left alone with a group until this training is complete.			
11(c)(ii) The qualifications and training requirements for administrators and educators are as follows: (c) at a full-time or part-time early learning and childcare centre, (ii) on and after July 1, 2020, (A) at least 50% of educators must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister, and (B) an administrator must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister.	11(c)(ii)	Sep 30, 2021	
Comments: 50% of educators do not have a one year ECE certificate or an equivalent training. Operator will contact the Quality Assurance Monitor to discuss how this regulation will be met.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Aug 31, 2021	Aug 31, 2021
Comments: Two staff files are missing a signed declaration. The Administrator retrieved the signed declarations. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Sep 30, 2021	
Comments: A copy of this certificate is missing in one staff file.			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Sep 10, 2021	

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: Some of the structures in the playground do not have the required 30 cm depth of protective surface. The operator must ensure that the correct amount of protective surface is in place before the children are allowed to use the play structures.			
37 An operator of a licensed facility shall not permit a child receiving services at the licensed facility access to the kitchen unless the child is supervised.	37	Aug 31, 2021	Aug 31, 2021
Comments: The kitchen door is baby gate that could be opened by some children. Since the daycare does not offer food, the oven was unplugged and the Administrator stored the knives in a locked cabinet. Deficiency is now compliant.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Aug 31, 2021	Aug 31, 2021
Comments: Toxic items were found in a storage and the staff bathroom (ink, house paint, disinfectant, air freshener). Toxic products must be locked at all times. Once brought to the attention of the Administrator, all products were moved in the office which locks with a key. Deficiency is now compliant.			
41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (b) covered with a non-absorbent layer.	41(1)(b)	Sep 03, 2021	
Comments: One diaper changing surface is ripped and must be replaced.			

General Comments
<p>During the inspection, the Inspector observed indoor and outdoor play as well as lunch and nap time.</p> <p>Administrator indicated that she will train new staff in preparing activities and documenting activities and children's learning until they receive their Curriculum training.</p> <p>The ratio is in compliance at the time of inspection.</p>

original signed by
Maryse Léger

Signature of Early Learning and Childcare Licensing Staff

August 31, 2021

Date

original signed by
Robyn Augustine

Signature of Operator/Designate

August 31, 2021

Date