

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | |
|--|---------------------------|-------------------------------------|
| Name of operator Creating Wonders Daycare Inc. | Licence Number 2019572 | Inspection Date October 20, 2021 |
| Facility Name Creating Lil' Wonders Daycare | | Telephone Number (506) 523-4434 |
| Address 205 Main Street Rexton NB E4W 2A9 | | |
| Name of Early Learning and Childcare Licensing Staff Maryse Léger | | Position Title Inspector |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|---|---------------|----------------------|----------------|
| 11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate; | 11(a) | Sep 30, 2021 | Oct 20, 2021 |
| Comments: Deficiency is now compliant | | | |
| 11(c)(ii) The qualifications and training requirements for administrators and educators are as follows: (c) at a full-time or part-time early learning and childcare centre, (ii) on and after July 1, 2020, (A) at least 50% of educators must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister, and (B) an administrator must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister. | 11(c)(ii) | Sep 30, 2021 | Oct 20, 2021 |
| Comments: Deficiency is now compliant | | | |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator. | 24(1)(c)(vii) | Sep 30, 2021 | Oct 20, 2021 |
| Comments: Deficiency is now compliant | | | |
| 33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions. | 33(2) | Sep 10, 2021 | Oct 20, 2021 |
| Comments: Deficiency is now compliant | | | |
| 41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (b) covered with a non-absorbent layer. | 41(1)(b) | Sep 03, 2021 | Oct 20, 2021 |
| Comments: Deficiency is now compliant | | | |

General Comments

Evidence of compliance was sent by email. No site visit was conducted.

General Comments

All requirements have been met for license renewal.

original signed by
Maryse Léger

Signature of Early Learning and Childcare Licensing Staff

October 20, 2021

Date

original signed by
Robyn Augustine

Signature of Operator/Designate

October 20, 2021

Date