

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Licence		Number			Inspection Date		
Fredericton Montessori Academy Inc. 201958		,			August 20, 2020		
Facility Name					Telephone Number		
Fredericton Montessori Academy - Casa			(50			(506) 444-6249	
Address							
131 Duncan Lane Fredericton NB E3B 9T1							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Nancy Glendenning			Inspector				
Order for Compliance		Regulation		Date corre		Date corrected	
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.		33(2)		Aug 24, 2020			
Comments:							
General Comments							
An inspection of outdoor play area was completed. There has been more surfacing put underneath the geodome however the surfacing does not extend 6 feet around the fall zone area. The outdoor play area is equipped with different surfacing areas and materials for the children to play with.							
asining lainned by							
original signed by Nancy Glendenning			August 20, 2020				
Signature of Early Learning and Childcare Licensing Staf	f D	ate					
original signed by Laura MacDonald			Au	gust 2	20, 2020		
Signature of Operator/Designate	D	ate					