

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator		Licence Number				Inspection Date		
LITTLE HARVARD EARLY LEARNING CENTRE INC			2019591				December 21, 2022	
Facility Name						Telephone Number		
Little Harvard Early Learning Centre-Gondola Point Campus						(506) 632-1300		
Address					I			
259 Gondola F	Point Road Rothesay NB E2E 1Z9							
Name of Early Learning and Childcare Licensing Staff			Position Title					
Britta Garnett			Quality Assurance Monitor					
Order for Compliance			Reg	Regulation Date corre			Date corrected	
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29. Comments: Monitoring Inspection not posted on Parent Board. To be			,			3, 2023		
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (v) a copy of a criminal record check or vulnerable sector check, as the case may be. Comments: One staff file missing Criminal Record Check. Vulnerable that includes the Criminal Record Check was not on file.					30, 2022 file however	, the second page		
Discussed with staff during inspection. 28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.			28(3	28(3)(a) Dec 2		23, 2022		
Comments: The thermostat reading within the preschool room (basement) at time of inspection was 14 degrees celsius. This is too cold and not comfortable for the children and educators. Operator to consult with public health for proper heating requirements and temperature must be maintained while children are present. Discussed with staff during inspection.								
29 An operator of a licensed facility shall ensure that the traffic area and the outdoor walk-ways of the licensed facility are free from obstructions and hazards.			29		Dec 21, 2022			
Comments: Fire exit (back of building) snow and ice covered. QA Monitor brought to administrator's attention during inspection, as immediate attention is required. Snow and ice must be removed from fire exit before children arrive for the day.								
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.			32(1)(d)	Jan 2	3, 2023		
Comments: Toddler Room (Upstairs): Dramatic Play Kitchens (2) - sinks accumulating dust and debris. To be cleaned. Dramatic play area - unorganized. Bins to be labeled and sorted. This area is to be set up in a way that invites children to engage in play. Baby dolls - unclean and stained. To be cleaned or replaced.								

General Comments	
Renewal Inspection:	
Children and educators engaged in a variety of activities this me Educators observed engaging in conversations with children at	
Documentation is posted throughout each environment that sup interests. Documentation includes photos of the children and co	
Discussed with staff and administrator the use of pre-cut crafts. opportunities. Art opportunities to be open-ended moving forwa making tools to be accessible to children, that allow them to cho	rd. A variety of materials, paper and mark
original signed by Britta Garnett	December 21, 2022
Signature of Early Learning and Childcare Licensing Staff	Date
original signed by	Danasah an 04, 0000
Op did not return signed report	December 21, 2022
Signature of Operator/Designate	Date