

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence Number		Inspection	Inspection Date	
Go-Go Group Inc.	2019594		April 11, 20	April 11, 2022	
Facility Name			Telephone	Number	
Go-Go Preschool and After School Maple Street			(506) 455-	5496	
Address					
318 Maple Street Fredericton NB E3A 3R4					
Name of Early Learning and Childcare Licensing Staff		Position Tit	le		
Jennifer Godin	Quality Assurance Monitor				
Order for Compliance	Re	0	te to be rected	Date corrected	
General Comments					
Educator's walk to the school to pick up the early dismissal children and walk them back to the Early Learning and Childcare facility. Once they arrived, they all decided to have snack outside, children had the choice to have snack or go play. Educators were observed ensuring tables were properly sanitized before children started eating snack. When it was time for the later dismissal, an educator walked back to the school to pick those children up and walk them back for the facility. The same routine was observed for them when they arrived at the facility as the early dismissal children.  Children were observed playing with a variety of materials while outside, such as playing on the play structure/climbing dome, playing volley ball, digging for buried treasure, drawing on the pave with chalk, playing tag, and some were just happy to relax in the sun.  Educators were observed actively supervising the children and joining in their play.  Educator files that were observed today were in compliance with licensing regulations.  A reminder that now that the snow has melted and the ground is no longer frozen, to ensure that all protective surfacing around play structures meet the appropriate depth requirements as outlined in section 9.3.2 of the Operator's Manual. Also, please keep in mind that the pea gravel (protective surfacing) should be turned over weekly to ensure proper depths are maintained.					
original signed by Jennifer Godin		April	11, 2022		
Signature of Early Learning and Childcare Licensing Staf	f Date		·		
original signed by  Jill Flick			11, 2022		
Signature of Operator/Designate	Date	;			