

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Mouhamadou Issa Seck	Licence Number 2019596	Inspection Date August 14, 2025	
Facility Name FitCamp90 After-School		Telephone Number (506) 860-0690	
Address 274 Halifax Street Moncton NB E1C 9S3			
Name of Early Learning and Childcare Licensing Staff Stephanie Hickey		Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Jul 29, 2025	Aug 08, 2025
Comments: During the follow-up inspection, the Quality Assurance Monitor observed that the staff member who previously did not possess a valid First Aid and Cardiopulmonary Resuscitation (CPR) certificate had successfully completed the required training and now holds valid certification in both First Aid and CPR. Deficiency is now compliant			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Jul 29, 2025	
Comments: During the follow-up inspection, the Quality Assurance Monitor observed that there was no documentation or planning for daily activities. This is a second reminder that daily activities must be purposely planned and documented.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Jul 29, 2025	Aug 08, 2025
Comments: Of the six child records reviewed, the name, address, and telephone number of the medical practitioner were documented. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Jul 29, 2025	
Comments: Of the six child records reviewed, two only included a single emergency contact, and one record was missing addresses for both listed contacts. This serves as a second reminder that all child records must include the name, address, and telephone number of at least two emergency contacts.			

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Jul 29, 2025	Aug 08, 2025
Comments: During the follow-up inspection, the Quality Assurance Monitor observed that the staff member who previously did not possess a valid First Aid and Cardiopulmonary Resuscitation (CPR) certificate had successfully completed the required training and now holds valid certification in both First Aid and CPR. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Jul 29, 2025	Aug 08, 2025
Comments: During the follow-up inspection, the Quality Assurance Monitor observed that the children's attendance record was not accurately completed for the day. The record indicated that only 15 children were present, while 16 were actually in attendance. This was brought to the educator's attention, and the attendance record was immediately corrected. Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (a) the daily routine.	25(a)	Aug 18, 2025	
Comments: During the follow-up inspection, the Quality Assurance Monitor observed that only the daily routine for school days was posted in a visible and prominent location within the facility. The routine for full days was not posted. The Quality Assurance Monitor reminded the operator that both the full-day and school-day routines must be displayed in a visible and prominent place in the facility.			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (b) permitting, in the case of illness or soiled clothing, the child to shower or bathe or showering or bathing the child.	27(b)	Aug 18, 2025	
Comments: Of the six child records reviewed, one did not have the consent box checked for bathing or showering in the event of illness or soiled clothing.			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (c) permitting the administration of medication in the circumstances set out in section 46.	27(c )	Jul 29, 2025	
Comments: Of the six child records reviewed, two did not have the consent box checked for administering medication, and one was missing the required signature for medication administration. The Quality Assurance Monitor reminded the operator that all consent boxes must be completed to ensure proper documentation.			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (d) permitting the administration of emergency care to the child.	27(d)	Aug 18, 2025	
Comments: Of the six child records reviewed, 1 was missing the consent box for emergency care was not checked. The Quality Assurance Monitor reminded the operator that all consent boxes must be completed to ensure proper documentation.			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (g) transporting or providing for the transportation of the child.	27(g)	Aug 18, 2025	
Comments: Of the six child records reviewed, 1 was missing the signature of consent for transporting children to and from school was missing. The Quality Assurance Monitor reminded the operator that all consent signatures must be completed to ensure proper documentation.			
30(1) A full-time or part-time early learning and childcare centre shall have an indoor play area of at least 3.25 m <sup>2</sup> for each child receiving services at the centre.	30(1)	Jul 29, 2025	Aug 08, 2025

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: During the follow-up inspection, the Quality Assurance Monitor observed that room capacity requirements were respected. Deficiency is now compliant			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Jul 29, 2025	
Comments: During the follow-up inspection, visible cracks in the walls were noted, with areas of drywall protruding. This serves as a second reminder that the indoor play area must be maintained in a safe and clean condition.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Aug 18, 2025	
Comments: During the follow-up inspection, the Quality Assurance Monitor observed several safety concerns in the outdoor play area, including a broken piece of metal gym equipment, a trailer filled with torn garbage bags, a damaged railing on the back stairs used to access the space, and an animal trap. Due to these hazards, the Quality Assurance Monitor instructed the educators on site not to use the outdoor play area until it has been thoroughly cleaned and deemed safe for children			
31(5.1) The outdoor play area of a full-time or part-time early learning and childcare centre shall include a shaded area of at least 0.45 m2 for each child that can be accommodated in the outdoor play area as provided under subparagraph 4(1)(g)(ii)	31(5.1)	Aug 18, 2025	
Comments: During the follow-up inspection, the Quality Assurance Monitor observed that there was insufficient shade in the outdoor play area. The educator was advised that additional shade must be provided to ensure the area is safe and comfortable for children during outdoor activities.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Jul 29, 2025	
Comments: During the follow-up inspection, the Quality Assurance Monitor noted that there was an insufficient number of materials available for the children. The materials observed included some LEGO blocks, a limited selection of arts and crafts supplies, a few books, a small number of board games, and some bracelet-making materials.  Additionally, the Quality Assurance Monitor observed a child with nothing to do after finishing lunch. The child expressed interest in joining a game of UNO, but the table being used was positioned against the wall, limiting space for additional seating. The educator informed the child that they would need to wait for another table to become available. The Quality Assurance Monitor recommended pulling the table away from the wall to allow the child to join the game. The educator immediately adjusted the table, enabling more children to participate.  This serves as a second reminder that additional materials must be added to the indoor play area to ensure all children are engaged and have access to meaningful activities.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility,	32(1)(b)	Jul 29, 2025	
Comments: During the follow-up inspection, the Quality Assurance Monitor observed that most materials were stored in closed filing cabinets, which were not easily accessible to the children. Some of the cabinets were also difficult to open. This serves as a second reminder that all materials must be stored on low, open shelves to ensure they are easily accessible to children.			
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)	Jul 29, 2025	
Comments: During the follow-up inspection, the Quality Assurance Monitor observed that the outdoor play area did not contain an adequate amount of play materials for children. This serves as a second reminder that additional materials must be added to support children's engagement and development.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Jul 21, 2025	Aug 08, 2025

Order for Compliance	Regulation	Date to be corrected	Date corrected
<p>Comments: During the follow-up inspection, the Quality Assurance Monitor observed that all cleaning products were stored in a closet secured with a key. However, several cans of shaving cream were observed outside the locked closet. This was brought to the educator's attention, and the items were immediately placed in the locked storage.</p> <p>Deficiency is now compliant</p>			
40(1) An operator of a licensed facility shall ensure that personal belongings of a child receiving services at the licensed facility that are brought to the licensed facility, including combs, brushes, toothbrushes, towels, washcloths, bedding, pacifiers and soothers, are (a) labelled with the name of the child.	40(1)(a)	Jul 29, 2025	
<p>Comments: During the follow-up inspection, the Quality Assurance Monitor observed four water bottles that were not labeled with the children's names. This serves as a second reminder that all personal belongings must be clearly labeled with the child's name.</p>			
48(2) An operator of a licensed facility may supply food to a child receiving services at the licensed facility that a parent or guardian of the child brings from the child's home if the food is labelled with the child's name and refrigerated, as required.	48(2)	Jul 29, 2025	
<p>Comments: During the follow-up inspection, the Quality Assurance Monitor observed 6 lunch boxes not labelled with the children's names. This serves as a second reminder that all personal belonging must be clearly labeled with the child's name.</p>			
9(1) The child-to-staff ratio is one educator for each of the following groups of children of the same age receiving services at a full-time or part-time early learning and childcare centre: (a) three infants or fewer; (b) five children or fewer who are two years of age; (c) eight children or fewer who are three years of age; (d) ten children or fewer who are four years of age or older, but who are not yet attending school; and (e) 15 school-age children or fewer.	9(1)	Aug 08, 2025	Aug 08, 2025
<p>Comments: During the follow-up inspection, the Quality Assurance Monitor asked the educator on site how many children were present. The educator responded, "about 16." The Quality Assurance Monitor informed the educator that an exact number was required. The educator replied, "I forgot, I need to check the list." The Quality Assurance Monitor then asked if another educator was present. The educator stated that the other staff member had gone out to buy lunch. The Quality Assurance Monitor reminded the educator that it was not appropriate to be left alone with 16 children.</p> <p>The educator proceeded to count the children and reported that 12 were present. Shortly after, the second educator returned to the center. The Quality Assurance Monitor began counting the children and quickly noticed that there were more than 12. The Quality Assurance Monitor requested that the children be gathered and counted to confirm the total.</p> <p>One educator began counting the children while the other brought a child to the front room. The counting educator reported 15 children. The Quality Assurance Monitor then counted and confirmed there were 16 children, including the one in the other room.</p> <p>The Quality Assurance Monitor reminded both educators of the importance of knowing the exact number of children present at all times. Additionally, the Quality Assurance Monitor reiterated that two educators are required for 16 children, and that the staff-to-child ratio for school-age children is 1 educator per 15 children.</p> <p>Deficiency is now compliant</p>			

General Comments
<p>The Quality Assurance Monitor was on site for a follow-up inspection.</p> <p>During the visit, children were observed playing in the gym and having lunch.</p> <p>A discussion took place between the Quality Assurance Monitor and the educator regarding lunch time. The educator confirmed that lunch is normally served at 12:30 p.m. However, the Quality Assurance Monitor noted that children were only gathered to wash their hands and prepare for lunch at 12:50 p.m., resulting in lunch beginning around 1:00 p.m. The Quality Assurance Monitor reminded the educators that meals must be provided according to a reasonable and consistent schedule</p> <p>A discussion took place regarding access to the outdoor play area. When the Quality Assurance Monitor</p>

## General Comments

requested the key to access the gate, the educator stated they did not have access to it. The Quality Assurance Monitor then asked how the outdoor play area was typically accessed without the key. In response, the educator led the Quality Assurance Monitor to the door at the back of the gym and explained that this is the route they use to enter the outdoor play area.

The Quality Assurance Monitor advised that staff should be able to exit the outdoor play area without having to re-enter the building. The Quality Assurance Monitor highlighted a safety concern: in the event of an emergency, such as a fire inside the building, using the gym's emergency exit would not allow for a safe exit from the outdoor play area if the gate key is unavailable.

original signed by  
**Stephanie Hickey**

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

**August 13, 2025**

\_\_\_\_\_  
Date

original signed by  
**Issa Seck**

\_\_\_\_\_  
Signature of Operator/Designate

**August 13, 2025**

\_\_\_\_\_  
Date