

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of Operator Mouhamadou Issa Seck		Inspection Date October 09, 2026
Facility Name FitCamp90 After-School		Licence Number 2019596
Address 274 Halifax Street Moncton NB E1C 9S3		Telephone Number (506) 860-0690
Type of Facility Part-time Early Learning and Child Care Centre	Maximum Number of Children 24	Ages of Children SCHOOL-AGE
ELCC Licensing Staff Stephanie Hickey	Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Jul 10, 2026	
Comments: During the follow-up inspection, the Quality Assurance Monitor verified that the staff member previously identified as not holding valid First Aid and Cardiopulmonary Resuscitation (CPR) certification had updated their credentials and now holds valid certificates. The follow-up inspection also confirmed that the administrator's First Aid and CPR certification remained expired and had not been updated. In addition, a newly hired staff member's file did not contain valid First Aid and CPR certification. The operator confirmed that both individuals are enrolled in the required training.			
12(2) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may be, and a check with the Department of Social Development is conducted on each individual before he or she becomes a staff member.	12(2)	Oct 16, 2026	
Comments: During the follow-up inspection, it was noted that a newly hired staff member did not have a Social Development check on file and was present on site. The operator was reminded that all staff members must have a Social Development check completed before employment. The staff member left the premises and may return once the required check has been obtained.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Oct 16, 2026	
Comments: During the follow-up inspection, it was noted that a new staff member's file did not contain a list of duties and responsibilities. The Quality Assurance Monitor reminded the operator that all staff member files must include a list of duties and responsibilities.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Oct 16, 2026	

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: During the follow-up inspection, a new staff member file did not contain the signed statement regarding obligations under the Act and licensing regulation. The Quality Assurance Monitor reminded the operator that all staff member file must contain the signed statement regarding obligations under the Act and licensing regulation.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vi) a copy of a check with the Department of Social Development.	24(1)(c)(vi)	Oct 16, 2026	
Comments: During the follow-up inspection, it was noted that a newly hired staff member did not have a Social Development check on file and was present on site. The operator was reminded that all staff members must have a Social Development check completed before employment. The staff member left the premises and may return once the required check has been obtained.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Jul 10, 2026	
Comments: During the follow-up inspection, the Quality Assurance Monitor verified that the staff member previously identified as not holding valid First Aid and Cardiopulmonary Resuscitation (CPR) certification had updated their credentials and now holds valid certificates. The follow-up inspection also confirmed that the administrator's First Aid and CPR certification remained expired and had not been updated. In addition, a newly hired staff member's file did not contain valid First Aid and CPR certification. The operator confirmed that both individuals are enrolled in the required training.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records.	24(1)(j)	Jul 03, 2026	Oct 09, 2026
Comments: During the follow-up inspection, the Quality Assurance Monitor verified that the smoke detectors and fire extinguishers had been inspected. Deficiency is now compliant.			
38(1) The children receiving services at a licensed facility shall have access to washrooms that include the following: (a) if one to nine preschool children or school-age children are receiving the services, one toilet and one sink; (b) if ten to 24 preschool children or school-age children are receiving the services, two toilets and two sinks; (c) if 25 to 49 preschool children or school-age children are receiving the services, three toilets and three sinks; and (d) if 50 or more preschool children or school-age children are receiving the services, four toilets and four sinks.	38(1)	Jun 23, 2026	Oct 09, 2026
Comments: During the follow-up inspection, the Quality Assurance Monitor verified that the required number of washrooms is functional. Deficiency is now compliant.			
50(2) The operator of a licensed facility shall inform the parent or guardian of a child involved in an incident on the day the incident takes place and shall ensure that the parent or guardian signs the daily log to confirm their awareness.	50(2)	Jul 03, 2026	Oct 09, 2026
Comments: During the follow-up inspection, the Quality Assurance Monitor verified that parents had been advised of the incident log and that the log had been signed. Deficiency is now compliant.			
General Comments			
The Quality Assurance Monitor conducted a follow-up inspection. Child-to-staff ratios were maintained throughout the inspection. At the time of the visit, children were observed participating in free indoor play activities.			

original signed by
Stephanie Hickey

Signature of Early Learning and Childcare Licensing Staff

October 10, 2026

Date

original signed by
Issa Seck

October 10, 2026

Signature of Operator/Designated staff

Date

"I hereby acknowledge receipt of this report"