

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Nevan Enterprises Inc.	Licence Number 2019609	Inspection Date October 03, 2025
Facility Name Wee College Salisbury		Telephone Number (506) 372-5422
Address 3118 Main Street Salisbury NB E4J 2L6		
Name of Early Learning and Childcare Licensing Staff Stephanie Hickey		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility,	32(1)(b)	Oct 02, 2025	Oct 02, 2025
Comments: During the monitoring inspection, the Quality Assurance Monitor observed that in one of the infant rooms, the art and craft materials were stored in a closed cabinet rather than on low, open shelves where they would be easily accessible to children. The Quality Assurance Monitor reminded the educator that all materials must be placed on low, open shelves to ensure accessibility for the children. The educator promptly responded by gathering the art materials and placing them on the appropriate shelving. Deficiency is now compliant.			

General Comments
The Quality Assurance Monitor is on site to conduct a monitoring inspection. The child-to-staff ratio is maintained throughout the visit. During the inspection, the Quality Assurance Monitor verified the following: -Required postings were displayed in a visible and prominent location within the facility -Outdoor play area materials and equipment were available and appropriate While on site, the Quality Assurance Monitor observed children engaged in various activities, including eating snacks, reading books, preparing to go outside, playing outdoors, and one infant group leaving for a walk. A discussion took place between the administrator and the Quality Assurance Monitor regarding a swing located in the outdoor play area. The Quality Assurance Monitor observed that the swing was homemade and suspended from two trees, with large tree stumps protruding from the ground beneath it. The Quality Assurance Monitor advised the administrator that an adequate protective surface must be installed under the swing. Since the swing was homemade and lacked a manufacturer's manual, the Quality Assurance Monitor suggested conducting research to determine the appropriate protective surfacing for such equipment. In response, the administrator promptly removed the swing from the playground.

original signed by
Stephanie Hickey

October 02, 2025

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Alex Hatfield

Signature of Operator/Designate

October 02, 2025

Date