

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 700365 NB Inc.	Licence Number 2019620	Inspection Date September 12, 2023	
Facility Name The Children's Academy Two Nations Crossing 2019		Telephone Number (506) 450-5841	
Address 570 Two Nations Crossing Fredericton NB E3A 5V9			
Name of Early Learning and Childcare Licensing Staff Troy Williams		Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	Sep 15, 2023	
Comments: Last Report posted on the board is from March 1, 2023. There have been four monitoring reports that have not been posted.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (k) emergency evacuation and fire drill records.	24(1)(k)	Sep 29, 2023	
Comments:			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (d) the name of the administrator.	25(d)	Sep 15, 2023	
Comments: Name of new administrator has not been updated on the board.			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Sep 29, 2023	
Comments: Fire drills have not been completed since May 2023.			
29 An operator of a licensed facility shall ensure that the traffic area and the outdoor walk-ways of the licensed facility are free from obstructions and hazards.	29	Sep 13, 2023	
Comments: The hallway to the infants room is stored with high chairs, chairs and a garbage can.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Sep 13, 2023	
Comments: The preschool and two year old room has tables stacked on each other. Tables were not taken down this morning.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jun 20, 2023	Sep 12, 2023
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Sep 26, 2023	

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments:			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Aug 24, 2023	
Comments: As in previous report the two play kitchens in the two year old room have a missing sink and facets. These items need to be replaced.			
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)	Sep 26, 2023	
Comments: Still no materials for the outdoor play space. Storage box is empty.			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Sep 29, 2023	
Comments: Playground check list has not been completed since May 2023.			
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility.	44(a)	Sep 29, 2023	
Comments: Although first aid kits are accessible in the building. The check lists of not been completed since May 2023. The checklist for these need to completed on a monthly basis.			

General Comments
<p>Parent board needs to be updated with current Administrator information. The last licence renewal inspection report and last monitoring report needs to be posted.</p> <p>Fire drills, outdoor play space and first aid check lists need to be completed on a monthly basis.</p> <p>Hallway to infants room need to be kept free of clutter. Remove highchairs, chairs and garbage can.</p> <p>Tables need to be unstacked before children arrive in the morning.</p> <p>More materials are need for indoor and outdoor play space which consist of art materials, dramatic play, fine motor and science.</p> <p>Play kitchens in 2 year old room and afterschool room are missing parts. These items need to be replaced. The "Fresh Mart" play supermarket is cracked and needs to be repaired or replaced.</p>

original signed by
Troy Williams

Signature of Early Learning and Childcare Licensing Staff

September 12, 2023

Date

original signed by
Megan Young

Signature of Operator/Designate

September 12, 2023

Date