

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Bridge Street Children's Academy Inc.	Licence Number 2019665	Inspection Date November 09, 2022	
Facility Name Dufferin Street Afterschool Academy		Telephone Number (506) 536-1066	
Address 10 Dufferin Street Sackville NB E4L 3W3			
Name of Early Learning and Childcare Licensing Staff Kyleigh Roy		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Oct 05, 2022	Nov 09, 2022
Comments: Deficiency is now compliant			
20 For the purposes of section 17 of the Act, the requirements with respect to the transportation of children are as follows: (c) the driver of a motor vehicle and the motor vehicle must be in compliance with the Motor Vehicle Act and the regulations under that Act.	20(c)	Sep 28, 2022	Nov 09, 2022
Comments: During the follow-up inspection the inspector observed that the damaged bus is repaired and that it is now operational. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Sep 28, 2022	Nov 09, 2022
Comments: The administrator placed the signed statement regarding the obligations under the Act and licensing regulation in the employee's file. Deficiency is now compliant.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Sep 21, 2022	Nov 09, 2022
Comments: During the follow-up inspection, the inspector observed that the door leading to the roof is now secured with a lock. Deficiency is now compliant.			
37 An operator of a licensed facility shall not permit a child receiving services at the licensed facility access to the kitchen unless the child is supervised.	37	Sep 20, 2022	Nov 09, 2022
Comments: During the follow-up inspection, the inspector was informed by the administrator that educators now supervise children travelling to and from the bathroom in order to ensure they do not access the kitchen. Deficiency is now compliant.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Nov 09, 2022	Nov 09, 2022

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: During the follow-up inspection, the inspector observed a pack of cigarettes in the side pocket of a staff members lunchbox located in the kitchen. During the inspection, the administrator removed the cigarettes from the facility. Deficiency is now compliant.			

General Comments
During the follow-up inspection, the inspector observed outdoor free play.
The ratio was respected during the inspection.

original signed by
 Kyleigh Roy

November 09, 2022

 Signature of Early Learning and Childcare Licensing Staff

 Date

 Signature of Operator/Designate

 Date