

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Bridge Street Children's Academy Inc.	Licence Number 2019665	Inspection Date January 30, 2025	
Facility Name Dufferin Street Afterschool Academy		Telephone Number (506) 536-1066	
Address 10 Dufferin Street Sackville NB E4L 3W3			
Name of Early Learning and Childcare Licensing Staff Sophie Powers		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Jan 30, 2025	Jan 30, 2025
Comments: The Quality Assurance Monitor observed that 14 children were present, but more children were signed in on the attendance sheet. The educator informed the Quality Assurance Monitor that the children that are on the bus, on their way to the facility, are signed in. The Quality Assurance Monitor reminds the educator that only the children present at the facility must be signed in. With that, they must wait until the group arrives at the facility to sign them as present. The attendance sheet must be brought on the bus, or a different attendance sheet should be used during transportation.  The attendance sheet is up to date before the QAM leaves the facility. Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Jan 30, 2025	Jan 30, 2025
Comments: During the inspection, a bottle of Febreze was found in the bathroom. Toxic products, chemical products and cleaning supplies must be locked and inaccessible to children. The bottle of Febreze was immediately locked. Deficiency is now compliant			

### General Comments

The Quality Assurance Monitor is on site for a monitoring inspection.

The following items are verified during the inspection:

- Child to staff ratio
- Washrooms
- Storage Space
- if children's personal belongings are labelled and stored separately for each child
- Transportation.

The facility has the proper number of functioning and available toilets and sinks. The water bottles and lunch boxes verified at the time of the inspectors are labelled.

General Comments

The requirements with respect to the transportation of children are compliant.

During the inspection, children played indoors.

original signed by  
Sophie Powers

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

January 31, 2025

\_\_\_\_\_  
Date

original signed by  
Kayla Estabrooks

\_\_\_\_\_  
Signature of Operator/Designate

January 31, 2025

\_\_\_\_\_  
Date