

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2019678	Inspection Date March 14, 2023
Facility Name Powerplay Academy Moncton 4		Telephone Number (506) 854-7529
Address 1220 Ryan Street Moncton NB E1G 2V6		
Name of Early Learning and Childcare Licensing Staff Erika Hickey		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Nov 11, 2022	Mar 14, 2023
Comments: During the inspection, the Quality Assurance Monitor was able to confirm that the children were provided with material allowing them to participate in diverse learning opportunities. Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Nov 11, 2022	Mar 14, 2023
Comments: During the previous monitoring inspection, the Quality Assurance Monitor had observed a broken pool table in the indoor play area. The Quality Assurance Monitor can confirm that the broken Pool table that was in the play area has been repaired since the last monitoring inspection. Tape was used to repair the corners and the Quality Assurance Monitor could observe the tape lifting off. The repair will need to be maintained or properly repaired if the children are to continue using the equipment. Deficiency is now compliant.			

General Comments
<p>The Quality Assurance Monitor is on-site for a follow-up monitoring inspection. During the inspection, the Quality Assurance Monitor did a verification of the monthly emergency evacuation and fire drills. The records indicate that the facility is doing the evacuation drills monthly.</p> <p>The Quality Assurance Monitor asked the administrator if the pallets that had nails had been removed to ensure that the outdoor play area is maintained safe and free of hazards. The administrator shared that they have been unable to remove them because of the snow and ice. The administrator explained that the children do not play in this area. The Quality Assurance Monitor reminded the administrator that the children play near the area and that the area is accessible to them and that they will need to be vigilant in ensuring that children do not go in the area until the pallets that have nails in them can be removed. The Quality Assurance Monitor will return to verify this element during the next monitoring inspection.</p> <p>The ratio was respected at all times during the inspection and the Quality Assurance Monitor was able to observe the children engaging in indoor free play and during snack time.</p>

original signed by  
Erika Hickey

March 14, 2023

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by  
Katia Allain

---

Signature of Operator/Designate

March 14, 2023

---

Date