

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2019678	Inspection Date December 07, 2023
Facility Name Powerplay Academy Moncton 4		Telephone Number (506) 854-7529
Address 1220 Ryan Street Moncton NB E1G 2V6		
Name of Early Learning and Childcare Licensing Staff Sarah MacDougall-LeBlanc		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Dec 01, 2023	
Comments: 1 staff member does not have a valid first aid and cardiopulmonary resuscitation certificate. Operator indicates that the educator will take the required course in January. Operator must ensure that staff is not left alone with children until required certification is obtained.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Dec 01, 2023	
Comments: 1 staff member does not have a valid first aid and cardiopulmonary resuscitation certificate. Operator indicates that the educator will take the required course in January. Operator must ensure that staff is not left alone with children until required certification is obtained.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Nov 10, 2023	
Comments: During the renewal inspection, the inspector observed a hole in the wall in the washroom, leaving drywall exposed. During the 2nd follow-up inspection, inspector observed that this was not repaired. The Operator indicates that this will be fixed tomorrow.			
50(1) An operator of a licensed facility shall maintain a chronologically filed daily incident log relating to the health, security and well-being of the children receiving services at the licensed facility.	50(1)	Nov 03, 2023	
Comments: 3 of the verified incident logs do not indicate the time that the incident occurred. 1 of the verified incident logs does not indicate the date that the incident occurred. The operator must ensure that all required information is recorded on the logs, including, child's name, date, time, injury and care provided, description of circumstances and parent's signature. Administrator must revise section 6.6 of the Operator Manuel with staff.			

General Comments
Ratio is respected during the time of the inspection.

original signed by
Sarah MacDougall-LeBlanc

Signature of Early Learning and Childcare Licensing Staff

December 07, 2023

Date

original signed by
Katia Allain

Signature of Operator/Designate

December 07, 2023

Date