



## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2019680	Inspection Date November 05, 2020	
Facility Name Powerplay Academy Moncton 5		Telephone Number (506) 854-7529	
Address 1220 Ryan Street Moncton NB E1G 2V6			
Name of Early Learning and Childcare Licensing Staff Véronique Landry		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected

General Comments
Quality assurance monitor is on site to inspect the outdoor play area. Outdoor play area meets requirements.  The operator will ensure that protective surfacing under fixed equipment is maintained in a way that ensures a depth of 30 cm.  Heat pump unit is fenced in the outdoor infant area, Quality Assurance monitor recommends that the heat pump in the enclosed preschool area also be fenced to minimize safety risks to children.

original signed by Véronique Landry	November 05, 2020
Signature of Early Learning and Childcare Licensing Staff	Date
original signed by Katia Allain	November 05, 2020
Signature of Operator/Designate	Date