

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2019680	Inspection Date October 27, 2021	
Facility Name Powerplay Academy Moncton 5		Telephone Number (506) 854-7529	
Address 1220 Ryan Street Moncton NB E1G 2V6			
Name of Early Learning and Childcare Licensing Staff Maryse Léger		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Oct 12, 2021	Oct 27, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Oct 07, 2021	Oct 27, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Sep 28, 2021	Oct 27, 2021
Comments: Deficiency was compliant on September 28th, 2021.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Sep 28, 2021	Oct 27, 2021
Comments: Deficiency was compliant on September 28th, 2021.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Oct 12, 2021	Oct 27, 2021
Comments: Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Oct 14, 2021	Oct 27, 2021

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: Deficiency is now compliant			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Nov 01, 2021	
Comments: Deficiency is now compliant			
General Comments			
During the inspection, the Inspector observed indoor and outdoor play as well as lunch and nap time.			

original signed by <b>Maryse Léger</b>	October 27, 2021
_____ Signature of Early Learning and Childcare Licensing Staff	_____ Date
original signed by <b>Katia Allain</b>	October 27, 2021
_____ Signature of Operator/Designate	_____ Date