

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2019683	Inspection Date January 11, 2023
Facility Name Powerplay Academy Moncton 6		Telephone Number (506) 860-7529
Address 1220 Ryan Street Moncton NB E1G 2V6		
Name of Early Learning and Childcare Licensing Staff Mireille Comeau		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Jan 16, 2023	
Comments: One staff file has an expired first aid certificate. All educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate. The staff cannot be left alone with children until they have a valid first aid certificate and a valid cardiopulmonary resuscitation certificate.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (v) the child's health history and a copy of the record of immunizations or a copy of an exemption.	24(1)(b)(v)	Jan 25, 2023	
Comments: The inspector audited 10 child files, one child file is missing a copy of proof of immunizations. The administrator must ensure that all child files are up to date.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Jan 16, 2023	
Comments: One staff file has an expired first aid certificate. All educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate. The staff cannot be left alone with children until they have a valid first aid certificate and a valid cardiopulmonary resuscitation certificate.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Nov 22, 2022	Jan 11, 2023
Comments: While conducting the follow-up inspection, the inspector observes that all the attendance records of the children are complete. Deficiency is now compliant.			
31(4) An operator shall ensure that the outdoor play area of a licensed facility (b) consists of more than one surface to permit different types of play.	31(4)(b)	Nov 22, 2022	

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: While conducting the follow-up inspection, the inspector was not able to verify if the outdoor playground consists of more than one surface because of the snow. It will be verified in a monitoring inspection in the spring.			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Dec 02, 2022	
Comments: While conducting the follow-up inspection, the inspector was not able to verify if the stationary equipment in the outdoor play area is surrounded by a protective surfacing because of the snow. It will be verified in a monitoring inspection in the spring.			
38(2) An operator of a licensed facility shall supervise a child while the child is using the washroom if the washrooms are not used exclusively by the children, the operator and staff members at the licensed facility.	38(2)	Nov 22, 2022	Jan 11, 2023
Comments: While conducting the follow-up inspection, the inspector observes that the children are supervised at the bathroom. Deficiency is now compliant.			
47(1) An operator of a licensed facility shall refuse admission to a child if satisfactory proof of the immunizations required by the Public Health Act or the regulations under that Act is not provided.	47(1)	Jan 25, 2023	
Comments: The inspector audited 10 child files, one child file is missing a copy of proof of immunizations. The administrator must ensure that all child files are up to date.			
General Comments			

original signed by
Mireille Comeau

Signature of Early Learning and Childcare Licensing Staff

January 12, 2023

Date

original signed by
Katia Allain

Signature of Operator/Designate

January 12, 2023

Date