

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

|                                                                         |                           |                                      |
|-------------------------------------------------------------------------|---------------------------|--------------------------------------|
| Name of operator<br>Power Play Academy Moncton Campus Inc.              | Licence Number<br>2019683 | Inspection Date<br>February 01, 2023 |
| Facility Name<br>Powerplay Academy Moncton 6                            |                           | Telephone Number<br>(506) 860-7529   |
| Address<br>1220 Ryan Street Moncton NB E1G 2V6                          |                           |                                      |
| Name of Early Learning and Childcare Licensing Staff<br>Mireille Comeau |                           | Position Title<br>Inspector          |

| Order for Compliance                                                                                                                                                                                                                                                                                                                            | Regulation    | Date to be corrected | Date corrected |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------------|----------------|
| 11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;                                                                                                              | 11(a)         | Jan 16, 2023         | Feb 01, 2023   |
| Comments: A copy of a valid first aid certificate was in the staff file.<br>Deficiency is now compliant.                                                                                                                                                                                                                                        |               |                      |                |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (e) administration of medication records.                                                                                                                                                | 24(1)(e)      | Feb 01, 2023         |                |
| Comments: The inspector observes that a medication is present at the facility and no administration of medication form is filled out. An operator of a licensed facility shall only administer medication to a child if the parent or guardian of the child gives written consent.<br>Operator must revise section 10.4 of the Operator Manuel. |               |                      |                |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (v) the child's health history and a copy of the record of immunizations or a copy of an exemption.                                                      | 24(1)(b)(v)   | Jan 25, 2023         | Feb 01, 2023   |
| Comments: The inspector audited 10 child files and the files are up to date.<br>Deficiency is now compliant.                                                                                                                                                                                                                                    |               |                      |                |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.           | 24(1)(c)(vii) | Jan 16, 2023         | Feb 01, 2023   |
| Comments: A copy of a valid first aid certificate was in the staff file.<br>Deficiency is now compliant.                                                                                                                                                                                                                                        |               |                      |                |
| 31(4) An operator shall ensure that the outdoor play area of a licensed facility (b) consists of more than one surface to permit different types of play.                                                                                                                                                                                       | 31(4)(b)      | Nov 22, 2022         |                |
| Comments: The inspector was not able to verify is the outdoor playground consists of more than one surface because of the snow. This will be verified in a Monitoring inspection in the spring.                                                                                                                                                 |               |                      |                |

| Order for Compliance                                                                                                                                                                                                                                                                                                                                            | Regulation | Date to be corrected | Date corrected |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----------------------|----------------|
| 33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.                                                                                                                                                                                                   | 33(2)      | Dec 02, 2022         |                |
| Comments: The inspector was not able to verify if the stationary equipment is surrounded by protective surfaces in the outdoor playground because of the snow. This will be verified in a Monitoring inspection in the spring.                                                                                                                                  |            |                      |                |
| 39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications.                                                                                                                                                                                                           | 39(2)(b)   | Feb 01, 2023         |                |
| Comments: The inspector observes a medication on a shelf in one of the classrooms. The Operator must ensure that medications are locked at all times.<br>Operator must revise section 9.2.5 of the Operator Manuel.                                                                                                                                             |            |                      |                |
| 47(1) An operator of a licensed facility shall refuse admission to a child if satisfactory proof of the immunizations required by the Public Health Act or the regulations under that Act is not provided.                                                                                                                                                      | 47(1)      | Jan 25, 2023         | Feb 01, 2023   |
| Comments: The inspector audited 10 child files and the files are up to date.<br>Deficiency is now compliant.                                                                                                                                                                                                                                                    |            |                      |                |
| 50(2) The operator of a licensed facility shall inform the parent or guardian of a child involved in an incident on the day the incident takes place and shall ensure that the parent or guardian signs the daily log to confirm their awareness.                                                                                                               | 50(2)      | Feb 01, 2023         |                |
| Comments: The inspector observes two incidents reports not signed by the parents. The operator must ensure that all minor incidents are properly recorded, documented and signed by parents so that they are well informed of any incidents that may have involved the child while at the facility.<br>Operator must revise section 6.6 of the Operator Manuel. |            |                      |                |
| General Comments                                                                                                                                                                                                                                                                                                                                                |            |                      |                |

original signed by  
Mireille Comeau

Signature of Early Learning and Childcare Licensing Staff

February 02, 2023

Date

original signed by  
Katia Allain

Signature of Operator/Designate

February 02, 2023

Date