

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2019683	Inspection Date August 10, 2023	
Facility Name Powerplay Academy Moncton 6		Telephone Number (506) 860-7529	
Address 1220 Ryan Street Moncton NB E1G 2V6			
Name of Early Learning and Childcare Licensing Staff Sarah MacDougall		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Aug 07, 2023	
Comments: 1 educator does not have a valid first aid and cardiopulmonary resuscitation certificate. Administrator must ensure that the proper certification is obtained. Once this is obtained, a copy of the certificate must be placed in the staff's file.			
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.	11(b)	Aug 07, 2023	Aug 10, 2023
Comments: Staff has been registered for required course. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Aug 07, 2023	Aug 10, 2023
Comments: Required information was indicated in each verified children's record. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Aug 07, 2023	
Comments: 1 educator does not have a valid first aid and cardiopulmonary resuscitation certificate. Administrator must ensure that the proper certification is obtained. Once this is obtained, a copy of the certificate must be placed in the staff's file.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (i) menu plans and any substitutions.	24(1)(i)	Jul 24, 2023	Aug 10, 2023
Comments: Modifications to the menu are now kept for the Minister's prescribed amount of time. Deficiency is now compliant			

Order for Compliance	Regulation	Date to be corrected	Date corrected
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (b) permitting, in the case of illness or soiled clothing, the child to shower or bathe or showering or bathing the child.	27(b)	Aug 07, 2023	Aug 10, 2023
Comments: Required information was indicated in each verified children's record. Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jul 26, 2023	Aug 10, 2023
Comments: Inspector observed a wooden barrel that is broken in the outdoor play area as well as stagnant water in the tires. These have been removed. Deficiency is now compliant			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Aug 07, 2023	
Comments: There is missing protective surfacing underneath the stationary equipment. Operator indicates that the protective surfacing has been purchased and will be added to the outdoor play area shortly. This will be verified during the 2nd follow-up inspection.			
41(3) An operator of a licensed facility shall (a) post diaper-changing procedures in diaper-changing areas.	41(3)(a)	Jul 27, 2023	Aug 10, 2023
Comments: Administrator indicates that the diaper changing procedures have been reviewed with the staff. Deficiency is now compliant			

General Comments

Ratio is respected during the inspection.

original signed by
Sarah MacDougall

Signature of Early Learning and Childcare Licensing Staff

August 10, 2023

Date

original signed by
Katia Allain

Signature of Operator/Designate

August 10, 2023

Date