

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2019683	Inspection Date August 21, 2023	
Facility Name Powerplay Academy Moncton 6		Telephone Number (506) 860-7529	
Address 1220 Ryan Street Moncton NB E1G 2V6			
Name of Early Learning and Childcare Licensing Staff Sarah MacDougall		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Aug 07, 2023	
Comments: 1 educator does not have a valid first aid and cardiopulmonary resuscitation certificate. Administrator must ensure that the proper certification is obtained. Once this is obtained, a copy of the certificate must be placed in the staff's file.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Aug 07, 2023	
Comments: 1 educator does not have a valid first aid and cardiopulmonary resuscitation certificate. Administrator must ensure that the proper certification is obtained. Once this is obtained, a copy of the certificate must be placed in the staff's file.			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Aug 07, 2023	Aug 21, 2023
Comments: Stationary equipment is surrounded by adequate protective surfacing. Deficiency is now compliant			

General Comments
Ratio is respected during the time of the inspection.

original signed by
Sarah MacDougall

Signature of Early Learning and Childcare Licensing Staff

August 21, 2023

Date

original signed by
Katia Allain

Signature of Operator/Designate

August 21, 2023

Date