

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator The Woods Early Education Corp.	Licence Number 2020034	Inspection Date October 24, 2023
Facility Name The Woods 034		Telephone Number (506) 651-3101
Address 193 Pettingill Road Quispamsis NB E2E 4R2		
Name of Early Learning and Childcare Licensing Staff Andrea Sabean		Position Title Administrative Assistant

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Jun 23, 2023	Jun 23, 2023
Comments: Deficiency is now compliant			
12(3) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may, and a check with the Department of Social Development is conducted on each staff member and associated person at least every five years.	12(3)	May 23, 2023	Jun 23, 2023
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (v) a copy of a criminal record check or vulnerable sector check, as the case may be.	24(1)(c)(v)	May 23, 2023	Jun 23, 2023
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Jun 23, 2023	Jun 23, 2023
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jun 23, 2023	Jun 23, 2023
Comments: Deficiency is now compliant			
50(2) The operator of a licensed facility shall inform the parent or guardian of a child involved in an incident on the day the incident takes place and shall ensure that the parent or guardian signs the daily log to confirm their awareness.	50(2)	Jun 23, 2023	Jun 23, 2023
Comments: Deficiency is now compliant			

General Comments

A second follow up inspection occurred today. The first occurred on June 15, 2023. However, the Inspector left as Graduation ceremonies were being held for the preschool children. The children were observed in the outside wooded area actively engage in activities with their educators. The facility is recommended for license renewal, pending the recommendation from Public Health and confirmation from central office of license renewal fee payment.

Signature of Early Learning and Childcare Licensing Staff

Date

July 11, 2023

original signed by
Amanda Fowlie

Signature of Operator/Designate

Date

July 11, 2023