

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

2			October (	09. 2024		
			October 09, 2024			
	Facility Name			Telephone Number		
BLG Forest Of Dreams Daycare						
lame of Early Learning and Childcare Licensing Staff  Odi Hennessey  Inspe						
Inspector						
Regu	lation	ion Date to be corrected		Date corrected		
21	21 Oct 07,		, 2024	Oct 09, 2024		
21(a)	21(a) Oct 0		, 2024 	Oct 09, 2024		
	(i)	Oct 07	7, 2024	Oct 09, 2024		
21(c)	(iii)	Oct 07	7, 2024	Oct 09, 2024		
21(c)	(iv)	Oct 07	7, 2024	Oct 09, 2024		
21(c)	(v)	Oct 07	7, 2024	Oct 09, 2024		
	Regu   21   21(a)   21(c)   21(c)	Regulation 21 21(a)	Regulation	Regulation		

21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child and shall include (c) opportunities (vi) to problem-solve.  Comments: Deficiency is now compliant	21(c)(vi)	Oct 07, 2024	Oct 09, 2024
Comments: Deficiency is now compliant			
1			
advance and documented and shall respond to the capabilities, needs and interests of each child and shall include (c) opportunities (vii) to develop trusting, respectful and supportive relationships with educators and children.	21(c)(vii)	Oct 07, 2024	Oct 09, 2024
Comments:			
records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Oct 07, 2024	Oct 09, 2024
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Oct 07, 2024	Oct 09, 2024
Comments: Deficiency is now compliant			
to ensure the safety of the children.	30(3)	Oct 07, 2024	Oct 09, 2024
Comments: Deficiency is now compliant			
facility to ensure the safety of the children.	31(3)	Oct 07, 2024	Oct 09, 2024
Comments: Deficiency is now compliant			
31(6) The outdoor play area of a full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at least 1.22 m in height with a gate that is secured at all times when the children are present.  Comments: Deficiency is now compliant	31(6)	Oct 07, 2024	Oct 09, 2024
·		1	
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Oct 07, 2024	Oct 09, 2024
Comments: Deficiency is now compliant			
services at the licensed facility access to the kitchen unless the child is supervised.	37	Oct 07, 2024	Oct 09, 2024
Comments: Deficiency is now compliant			

## **General Comments**

A monitoring inspection occurred this morning, October 9, 2024, with the Inspector/Investigator and the Quality Assurance Monitor.

The purpose of the inspection was to confirm ratio and close off the Monitoring Inspection that the Inspector had conducted on September 25, 2024. Orders for compliance from that Monitoring Inspection are all completed except the Educator still requires First Aid/CPR training. This non-compliance is moved to the Monitoring Inspection report that the Quality Assurance Monitor will complete for the October 9, 2024, visit and will be sent to the Operator with additional orders for compliance.

original signed by		
Jodi Hennessey		October 09, 2024
Signature of Early Learning and Childcare Licensing Staff	Date	
original signed by		
Tinishia Logan		October 09, 2024
Signature of Operator/Designate	Date	