

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator DCS Kids Daycare & Early Learning Center Inc.	Licence Number 2021005	Inspection Date February 27, 2024
Facility Name DCS Kids Daycare		Telephone Number (506) 688-4463
Address 11B School Street Dorchester NB E4K 2Z6		
Name of Early Learning and Childcare Licensing Staff Tina Richard Tardif		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Feb 29, 2024	Feb 27, 2024
Comments: Administrator sent a copy of a valid first aid and CPR certificate. A copy was also place in the employee file. Deficiency is now compliant			
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	Feb 15, 2024	Feb 09, 2024
Comments: Administrator sent a picture of the last follow up inspection attached on a visible board. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Feb 29, 2024	Feb 27, 2024
Comments: Administrator sent a copy of a valid first aid and CPR certificate. A copy was also place in the employee file. Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (g) whether a child receiving services at the licensed facility has a life-threatening allergy and a description of that allergy.	25(g)	Feb 22, 2024	Feb 09, 2024
Comments: Administrator sent a picture with the posted allergy notice attached on a visible board; Deficiency is now compliant.			

General Comments
No on-site visit was conducted. Administrator sent pictures by email.

original signed by
Tina Richard Tardif

March 01, 2024

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Kirsten Weldon

Signature of Operator/Designate

March 01, 2024

Date