

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Inspire Early Learning Centre Inc.	Licence Number 2021029	Inspection Date November 25, 2022	
Facility Name Inspire Early Learning Centre 1		Telephone Number (506) 608-6465	
Address 186 Adelaide Street Saint John NB E2K 1X1			
Name of Early Learning and Childcare Licensing Staff Andrea Sabean		Position Title Administrative Assistant	

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (e) administration of medication records. Comments: Deficiency is now compliant	24(1)(e)	Aug 19, 2022	Sep 02, 2022
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number, Comments: Deficiency is now compliant	24(1)(b)(i)	Aug 19, 2022	Sep 02, 2022
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached, Comments: Deficiency is now compliant	24(1)(b)(iv)	Aug 19, 2022	Sep 02, 2022
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation. Comments: Deficiency is now compliant	24(1)(c)(iv)	Aug 19, 2022	Sep 02, 2022
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: Deficiency is now compliant	28(3)(a)	Aug 19, 2022	Sep 02, 2022
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. Comments: Deficiency is now compliant	32(1)(a)	Aug 19, 2022	Sep 02, 2022

Order for Compliance	Regulation	Date to be corrected	Date corrected
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Aug 19, 2022	Sep 02, 2022
Comments: Deficiency is now compliant			

General Comments
A follow up to the renewal inspection was conducted. All outstanding orders for compliance were completed and the facility is recommended for license renewal pending the recommendation from Fire and Public Health.

_____ Signature of Early Learning and Childcare Licensing Staff	_____ Date
--	---------------

original signed by Michelle MacKenzie _____ Signature of Operator/Designate	_____ Date
---	---------------