

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Inspire Early Learning Centre Inc.	Licence Number 2021041	Inspection Date July 19, 2023	
Facility Name Inspire Early Learning Centre 2		Telephone Number (506) 333-0008	
Address 186 Adelaide Street Saint John NB E2K 1X1			
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Aug 01, 2023	
Comments: Room 2: *Tops of heaters accumulating dirt/debris, to be cleaned. Room 3: *Step stools in washrooms to be replaced. Stained/dirty. *Bases of toilets accumulating dirt/debris, to be cleaned. *Tops of heaters accumulating dirt/debris, to be cleaned. Room 4: *Educator observed during diaper changing. Did not wash the child's hands after diaper changing. Educator did not wait the required two minutes after spraying change table before wiping clean. Discussed with Educator during inspection. *Tops of heaters accumulating dirt/debris, to be cleaned. Room 5: *Tops of heaters accumulating dirt/debris, to be cleaned. *Windows ledges accumulating dirt/debris, to be cleaned.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Aug 01, 2023	
Comments: Room 1&2: *Door entering infant rooms dirty, to be cleaned and repainted. Room 3: *Crayon markings on wall between windows, to be cleaned. Repainted if cannot be removed.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (c) in compliance with the Canada Consumer Product Safety Act (Canada) and the regulations under that Act.	32(1)(c)	Jul 18, 2023	Jul 18, 2023

Order for Compliance		Regulation	Date to be corrected	Date corrected
Comments:	<p>Room 3: * Loose parts on shelf too small for the children. These are to available but not accessible to the children. These can be in a covered container. When the children would like to use them, the educators can remove the covers and be used under direct supervision only. Removed during inspection.</p> <p>Room 4: * Loose parts on shelf too small for the children. These are to available but not accessible to the children. These can be in a covered container. When the children would like to use them, the educators can remove the covers and be used under direct supervision only. Removed during inspection.</p> <p>Room 5: * Loose parts on shelf too small for the children. These are to available but not accessible to the children. These can be in a covered container. When the children would like to use them, the educators can remove the covers and be used under direct supervision only. Removed during inspection.</p> <p>Deficiency is now compliant.</p>			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.		32(1)(d)	Aug 01, 2023	
Comments:	<p>Room 1: *Some books, corners/bindings ripped, to be discarded and replaced. * Bins accumulating dirt/debris, to be cleaned.</p> <p>Room 2: *Basket where shoes are stored, broken. To be discarded.</p> <p>Room 3: * Little People plastic white sheep dirt/stained. To be cleaned, if cannot be cleaned, to be discarded.</p> <p>Room 4: * Purple knit bear dirty, to be cleaned. If cannot be cleaned, to be discarded. *Some books, corners/bindings ripped, to be discarded and replaced.</p> <p>Room 5: *Plastic bins accumulating dirt/debris, to be cleaned.</p>			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;		39(2)(a)	Jul 18, 2023	Jul 18, 2023
Comments:	<p>Hallway washroom adjacent to rooms 2 & 3. A bottle of scented spray was observed on top of the paper towel dispenser. Removed during inspection.</p> <p>Deficiency is now compliant.</p>			

General Comments
<p>A renewal inspection occurred today.</p> <p>The children were observed during morning snack, playing in the outside play area, going for walks, handwashing and diaper changing routines, lunch, quiet/nap time.</p> <p>Discussed with Administrator the requirement for Inclusion Support Workers to complete the Professional Learning "Tools for Inclusion" as part of the new Inclusion guidelines that were sent to facilities in June 2023. Recommending that all educators take this training as well.</p> <p>Each of the learning environments on this license have the children's learning displayed using a variety of documentation. Pictures, art, learning stories, captions etc. Educators were observed tending to the needs of the children appropriately and engaged in their learning and play.</p>

original signed by
Jodi Hennessey

Signature of Early Learning and Childcare Licensing Staff

July 19, 2023

Date

original signed by
Michelle MacKenzie

Signature of Operator/Designate

July 19, 2023

Date