

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Kachina Scriver	Licence Number 2021074	Inspection Date November 14, 2023
Facility Name Buds and Blossoms Daycare		Telephone Number (506) 262-2471
Address 20 Broad Road Haneytown NB E2V 3N9		
Name of Early Learning and Childcare Licensing Staff Jenelle Hanscom		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
36(7) A nap mat shall be at least 5 cm in thickness and stored in a way that avoids contact with the surface of another nap mat or disinfected on both sides after each use.	36(7)	Nov 14, 2023	Nov 14, 2023
Comments: Deficiency is now compliant During the inspection the nap cots were stored with their blankets and bedding in contact with other bedding. The educator was able to store the nap cots so that bedding was no longer in contact with other bedding.			

General Comments
<p>Purpose of inspection on this date for was annual renewal inspection. Upon arrival of licensing staff, the only children in attendance were the infants who were napping. A third child arrived before snack time. Drop off routine and transtition to the home was smooth as the child was excited to enter the home.</p> <p>Snack routine was observed, and child was directed to wash his hands after eating. Child engaged in a painting activity after lunch, independence was encouraged as they selected which colors to use and how to apply them to the wooden nutcracker that was provided. During this activity the educator was able to feed both infants.</p> <p>Educator was in the process of preparing the room for Christmas with decorations and materials for the children to use. A felt Christmas tree was a nice addition to the room with felt decorations placed on the wall at children's level for children to redecorate as they wanted.</p> <p>Diapering routine was observed with all appropriate diapering procedures implemented. Changing pad was disinfected after diaper change.</p> <p>Foam steps should have foam mats placed underneath as the infants become more mobile and begin to use them for climbing and crawling.</p> <p>Positive behaviour guidance was observed at all times and educators engaged with pleasant conversation with all children in attendance.</p> <p>Home can be recommended for licensing.</p>

original signed by
Jenelle Hanscom

Signature of Early Learning and Childcare Licensing Staff

November 14, 2023

Date

original signed by
Kachina Scriver

Signature of Operator/Designate

November 14, 2023

Date