

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Woodstock Christian Academy (WCA) Inc.	Licence Number 2021090	Inspection Date July 04, 2022	
Facility Name Woodstock Christian Academy Inc - Preschool Discovery Center		Telephone Number (506) 328-8619	
Address 137 Houlton Street Woodstock NB E7M 1Y4			
Name of Early Learning and Childcare Licensing Staff Tanya Gaudet		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Jul 22, 2022	
Comments: While conducting a monitoring inspection visit, licensing staff noted that the protective surfacing surrounding stationary equipment needs to be tilled up, measured and if the depth is not at the recommended depth according to the manufacturer's recommendation then it will need to be replenished.			

General Comments
<p>Licensing staff arrived at the licensed facility to conduct a monitoring inspection visit on July 4th, 2022.</p> <p>Licensing staff and the Administrator were discussing the school-aged classroom and how to plan purposely planned activities to keep the children engaged while attending the centre during the summer months. Licensing staff recommended referencing the NB Playbook- A Resource for Quality After School Programming.</p> <p>The school-aged children have a lovely and very large outdoor play space which includes a wooded area that the children were exploring in for a majority of the inspection visit.</p> <p>All educators were observed engaged with the children the entire inspection visit.</p> <p>All cleaning supplies and medications were locked up in a cabinet with a lock and key.</p> <p>Licensing staff observed positive child guidance techniques being used by the educators used, such as, redirection and diversion, to redirect undesired behaviours.</p> <p>While conducting a monitoring inspection visit, licensing staff noted that the protective surfacing surrounding stationary equipment needs to be tilled up, measured and if the depth is not at the recommended depth according to the manufacturer's recommendation then it will need to be replenished.</p>

original signed by
Tanya Gaudet

Signature of Early Learning and Childcare Licensing Staff

July 04, 2022

Date

Signature of Operator/Designate

Date