

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence Number Ins			Inspection	nspection Date			
Creating Wonders Daycare Inc. 2021092					October 22, 2025			
Facility Name				Telephone Number				
Creating Wonders Elsipogtog					(506) 523-5657			
Address								
356 Big Cove Road Elsipogtog First Nation NB E4W 2S6	3							
Name of Early Learning and Childcare Licensing Staff			Position Title					
Roxanne Benoit				Inspector				
Order for Compliance		Reg	egulation Date to be corrected		Date corrected			
11 The qualifications and training requirements for administrator educators are as follows: (a) an administrator and educators moved first aid certificate and a valid cardiopulmonary resuscitation certificate;	ust hold a	11(a) Jul 17, 20		7, 2025	Sep 23, 2025			
Comments: The inspector has received a copy of a valid first aid certificate via email. Deficiency is now compliant.								
11.1(3) A staff member who works directly with infants or preschool children shall complete in each year 10 hours of training approved by the Minister related to the curriculum used at the designated facility.					7, 2025			
Comments: Some staff members have conducted their professional learning hours. The administrator must ensure that educators completed their 10 professional learning hours in the renewal year.								
24(1) For the purposes of subsection 20(1) of the Act, the follow records and documents shall be maintained on the premises of licensed facility: (c) staff member records that include (vii) a copyalid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	ving a by of a on	24(1)(c)(vii)	Jul 17	7, 2025	Sep 23, 2025		
Comments: The inspector has received a copy of a valid first aid certificate via email. Deficiency is now compliant.								
31(5.1) The outdoor play area of a full-time or part-time early leachildcare centre shall include a shaded area of at least 0.45 m ² child that can be accommodated in the outdoor play area as prounder subparagraph 4(1)(g)(ii)	for each	31(5	.1)	Jul 01	, 2025	Oct 07, 2025		
Comments: No on-site visit was conducted. The requireme compliant.	ent docume	nts w	ere sent	via em	ail. Deficiend	by is now		
General Comments								
No on-site visit was conducted. The requirement document	nts were s	ent v	via email					
original signed by Roxanne Benoit Signature of Early Learning and Childcare Licensing Staf	f D	ate	Oct	ober 2	28, 2025			

original signed by		
Robyn Augustine	October 28, 2025	
Signature of Operator/Designate	Date	