

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2021109	Inspection Date October 16, 2023	
Facility Name Powerplay Riverview Campus 1		Telephone Number (506) 871-3919	
Address 500 Hillsborough Road Riverview NB E1B 4E7			
Name of Early Learning and Childcare Licensing Staff Erika Hickey		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Oct 13, 2023	
Comments: One staff member is awaiting to complete their First Aid certification. Upon completion, a copy of the certificate can be sent to the Quality Assurance Monitor as proof of compliance and a copy must be inserted into the staff's records. The administrator has confirmed that the staff is not left alone with children while awaiting their valid certification.			
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.	11(b)	Oct 20, 2023	Oct 16, 2023
Comments: During the inspection, the Quality Assurance Monitor observed that 2 staff member did not have a proof of enrollment to the Introduction to ECE course. A copy was printed and placed in the staff files. Deficiency is now compliant			
22 The daily routine of a licensed facility shall include (b) a period of rest for a length of time that meets the needs of each infant and preschool child receiving services at the licensed facility but that does not exceed two consecutive hours unless there is a written request from a child's parent or guardian to extend the length of time.	22(b)	Sep 20, 2023	Oct 16, 2023
Comments: The Quality Assurance Monitor observed children who did not nap playing during the rest period. The Quality Assurance Monitor had a discussion with the administrator regarding the rest period and respecting the children's needs. The Quality Assurance Monitor shared that the Early Learning Consultant can be contacted for additional resources. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Oct 20, 2023	
Comments: During the inspection of new staff records, the Quality Assurance Monitor observed 1 new staff member missing a description of their duties and responsibilities. A copy can be sent to the Quality Assurance Monitor as proof of compliance. A copy must also be placed in the staff records.			

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Oct 20, 2023	
Comments: During the inspection of new staff records, the Quality Assurance Monitor observed 2 new staff members missing a signed statement regarding their obligation under the Act and licensing regulation. A copy can be sent to the Quality Assurance Monitor as proof of compliance. A copy must also be placed in the staff records.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Oct 13, 2023	
Comments: One staff member is awaiting to complete their First Aid certification. Upon completion, a copy of the certificate can be sent to the Quality Assurance Monitor as proof of compliance and a copy must be inserted into the staff's records. The administrator has confirmed that the staff is not left alone with children while awaiting their valid certification.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Oct 16, 2023	Oct 16, 2023
Comments: During the inspection, the Quality Assurance Monitor observed 3 groups use the washroom. During this time, no paper towel was available as the dispenser was empty. The educators advised the children to air dry their hands. The Quality Assurance Monitor had a discussion with the administrator and the administrator replenished the paper towel. There is now accessible paper towel in the washroom. Deficiency is now compliant			

General Comments

The Quality Assurance Monitor is on-site for a monitoring inspection. The Quality Assurance Monitor was on-site during nap time, snack time and indoor free play.

The children did not go outside during the inspection because of the rain.

original signed by
Erika Hickey

Signature of Early Learning and Childcare Licensing Staff

October 16, 2023

Date

original signed by
Tori Condran

Signature of Operator/Designate

October 16, 2023

Date