



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2021109	Inspection Date February 23, 2024
Facility Name Powerplay Riverview Campus 1	Telephone Number (506) 871-3919	
Address 500 Hillsborough Road Riverview NB E1B 4E7		
Name of Early Learning and Childcare Licensing Staff Ashley Kelly	Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
49(1) An operator of a licensed facility shall ensure that the guidance of the children receiving services at the licensed facility is positive and includes positive reinforcement, encouraging efforts and recognizing accomplishments.	49(1)	Feb 09, 2024	Feb 23, 2024
Comments: Deficiency is now compliant			

General Comments
<p>A pinch and remove safety lock is being used on one of the interior doors for infant room as infants have learned to open the doors. There is an alternate exit through the washroom but QAM recommends checking with Fire Marshall if this lock is acceptable.</p> <p>QAM observed one class creating an ice sensory bin with balloons and dinosaurs inside frozen ice balls.</p> <p>QAM observed children transitioning to their rooms, putting on indoor shoes, washing hands, snack time, and freeplay.</p> <p>Positive child guidance was observed in each classroom.</p> <p>Ratio was respected during inspection.</p>

original signed by
Ashley Kelly

Signature of Early Learning and Childcare Licensing Staff

February 23, 2024

Date

original signed by
Tori Condran

Signature of Operator/Designate

February 23, 2024

Date