



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2021109	Inspection Date October 11, 2024	
Facility Name Powerplay Riverview Campus 1		Telephone Number (506) 854-9662	
Address 500 Hillsborough Road Riverview NB E1B 4E7			
Name of Early Learning and Childcare Licensing Staff Stephanie Hickey		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Oct 18, 2024	Oct 09, 2024
Comments: Administrator sent a valid first aid certificate and a valid CPR certificate to QAM via email. Deficiency is now compliant			
General Comments			
No on-site visit was conducted. Proof of compliance was sent to QAM via email. A monitoring will be conducted at a later date.			

original signed by
Stephanie Hickey

Signature of Early Learning and Childcare Licensing Staff

October 11, 2024

Date

original signed by
Tori Condran

Signature of Operator/Designate

October 11, 2024

Date