

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | |
|--|--|---|
| Name of Operator Power Play Academy Moncton Campus Inc. | | Inspection Date February 10, 2026 |
| Facility Name Powerplay Riverview Campus 1 | | Licence Number 2021109 |
| Address 500 Hillsborough Road Riverview NB E1B 4E7 | | Telephone Number (506) 854-9662 |
| Type of Facility Full-time Early Learning and Childcare Centre | Maximum Number of Children 42 | Ages of Children INFANTS |
| ELCC Licensing Staff Stephanie Hickey | Position Title Quality Assurance Monitor | |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|--|------------|----------------------|----------------|
| 48(2) An operator of a licensed facility may supply food to a child receiving services at the licensed facility that a parent or guardian of the child brings from the child's home if the food is labelled with the child's name and refrigerated, as required. | 48(2) | Dec 22, 2025 | Feb 10, 2026 |
| Comments: During the follow up inspection, the Quality Assurance Monitor observed five lunch boxes that were not labeled with the child's name. The Quality Assurance Monitor brought this to the educators' attention, and they immediately labeled the unlabeled lunch boxes. Deficiency is now compliant | | | |
| 48(4) If an infant is receiving services at a licensed facility, the operator shall (d) ensure that each bottle is stored with a cover in the refrigerator. | 48(4)(d) | Dec 22, 2025 | Feb 10, 2026 |
| Comments: During the follow up inspection, the Quality Assurance Monitor observed bottles in one infant room that were not stored in the refrigerator. The Quality Assurance Monitor reminded the educators that all infant bottles must be refrigerated, and the educators immediately placed the bottles in the refrigerator. The Quality Assurance Monitor also observed two bottles in another infant room that were not in the refrigerator and did not have covers. This was brought to the Administrator's attention, who immediately discarded the remaining milk, rinsed the bottles, and placed them in the child's bag. Deficiency is now compliant | | | |
| 48(5) If more than one bottle-fed infant is receiving services at a licensed facility, the operator shall ensure that each bottle is (a) labelled with the child's name, (b) used only for the intended child. | 48(5) | Dec 22, 2025 | Feb 10, 2026 |
| Comments: During the follow-up inspection, the Quality Assurance Monitor observed that all infant bottles were properly labeled with the child's name. Deficiency is now compliant | | | |

| |
|---|
| General Comments |
| <p>The Quality Assurance Monitor is on site to conduct a follow up inspection. Child to staff ratios were maintained throughout the visit.</p> <p>The Quality Assurance Monitor observed children preparing for outdoor play as well as engaging in outdoor activities.</p> |

original signed by
Stephanie Hickey

Signature of Early Learning and Childcare Licensing Staff

February 10, 2026

Date

original signed by
Mandy Joseph

Signature of Operator/Designated staff

February 10, 2026

Date

"I hereby acknowledge receipt of this report"