



## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2021110	Inspection Date June 12, 2023
Facility Name Powerplay Riverview Campus 2		Telephone Number (506) 871-3919
Address 500 Hillsborough Road Riverview NB E1B 4E7		
Name of Early Learning and Childcare Licensing Staff Erika Hickey		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Feb 13, 2023	Jun 10, 2023
Comments: The staff member who was missing a valid certification is no longer in service. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Feb 13, 2023	Jun 10, 2023
Comments: The staff member who was missing a valid certification is no longer in service. Deficiency is now compliant			

<p><b>General Comments</b></p> <p>The Quality Assurance Monitor did not conduct an on-site inspection at this time. Another monitoring inspection will be conducted at a later date.</p>
--

original signed by  
**Erika Hickey**

---

Signature of Early Learning and Childcare Licensing Staff

June 12, 2023

---

Date

original signed by  
**Tori Condran**

---

Signature of Operator/Designate

June 12, 2023

---

Date