



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2021110	Inspection Date September 29, 2025	
Facility Name Powerplay Riverview Campus 2		Telephone Number (506) 854-9662	
Address 500 Hillsborough Road Riverview NB E1B 4E7			
Name of Early Learning and Childcare Licensing Staff Stephanie Hickey		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected

General Comments

The Quality Assurance Monitor is on site to conduct a monitoring inspection.
The child-to-staff ratio was maintained throughout the visit.

During the inspection, the Quality Assurance Monitor verified the following:

Required postings were displayed in a visible and prominent location within the facility.
Indoor play area materials and equipment were present and appropriate.

While on site, the Quality Assurance Monitor observed children freely engaging in outdoor play and transitioning from outdoor to indoor activities in preparation for lunch.

original signed by
Stephanie Hickey

Signature of Early Learning and Childcare Licensing Staff

September 29, 2025

Date

original signed by
Tori Condran

Signature of Operator/Designate

September 29, 2025

Date