



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2021111	Inspection Date October 16, 2023
Facility Name Powerplay Riverview Campus 3	Telephone Number (506) 871-3919	
Address 500 Hillsborough Road Riverview NB E1B 4E7		
Name of Early Learning and Childcare Licensing Staff Erika Hickey	Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)	Aug 04, 2023	Oct 16, 2023
Comments: During the inspection, the Quality Assurance Monitor was able to observe sufficient and varied material for the school age outdoor play. The administrator has confirmed a plan to ensure that the material is accessible to the children and is varied and sufficient for the number of children. Deficiency is now compliant			

General Comments

The Quality Assurance Monitor is on-site for a monitoring inspection. The Quality Assurance Monitor was on-site during snack time and indoor free play.

The children did not go outside during the inspection because of the rain.

original signed by
Erika Hickey

Signature of Early Learning and Childcare Licensing Staff

October 16, 2023

Date

original signed by
Tori Condran

Signature of Operator/Designate

October 16, 2023

Date