



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2021111	Inspection Date September 18, 2024
Facility Name Powerplay Riverview Campus 3		Telephone Number (506) 854-9662
Address 500 Hillsborough Road Riverview NB E1B 4E7		
Name of Early Learning and Childcare Licensing Staff Stephanie Hickey		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Aug 09, 2024	Sep 18, 2024
Comments: The Quality Assurance Monitor was able to observe that the outdoor play area is maintained safe and free of hazards. Deficiency is now compliant.			
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)	Aug 16, 2024	Sep 18, 2024
Comments: The Quality Assurance Monitor was able to observe that there is a varied and sufficient quantity of materials in the outdoor play area. Deficiency is now compliant.			

General Comments
The Quality Assurance Monitor is on site for a follow-up inspection. Ratio is respected during the visit.

original signed by
Stephanie Hickey

Signature of Early Learning and Childcare Licensing Staff

September 18, 2024

Date

original signed by
Tori Condran

Signature of Operator/Designate

September 18, 2024

Date