



## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2021113	Inspection Date December 05, 2024
Facility Name Powerplay Riverview Campus 5	Telephone Number (506) 854-9662	
Address 500 Hillsborough Road Riverview NB E1B 4E7		
Name of Early Learning and Childcare Licensing Staff Stephanie Hickey	Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records.	24(1)(j)	Dec 13, 2024	
Comments:			

General Comments
<p>The Quality Assurance Monitor conducted the renewal inspection on-site.</p> <p>During the inspection, the administrator stated that no children are currently enrolled under the license due to a decrease in attendance at the after-school daycare program.</p> <p>The administrator also mentioned that several preschool-aged children are expected to transition to the after-school program at the end of June as they prepare to begin school in September.</p>

original signed by  
Stephanie Hickey

Signature of Early Learning and Childcare Licensing Staff

December 05, 2024

Date

original signed by  
Tori Condran

Signature of Operator/Designate

December 05, 2024

Date